



**STOPS**  
**125 lb WOG; COMPACT STYLE**



STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
<b>STRAIGHT</b>								
3.34	1/4", FIP	75 <sup>1</sup>	60201	6.67	5.34	5.07	4.80	+
3.23	3/8", FIP	75 <sup>1</sup>	60202	6.45	5.16	4.90	4.64	+
2.40	1/2", FIP	75 <sup>1</sup>	60203	4.80	3.84	3.65	3.46	
2.96	3/4", FIP, w/ Cross Handles	75 <sup>1</sup>	60204	5.91	4.73	4.49	4.26	+
3.17	1/2", FIP, w/ Cross Handles	75-K <sup>1</sup>	60214	6.34	5.07	4.82	4.56	+
3.77	3/4", FIP	75-K <sup>1</sup>	60215	7.53	6.02	5.72	5.42	+
4.09	1/2", FIP	75-CL <sup>2</sup>	60221	8.17	6.54	6.21	5.88	+
4.57	3/4", FIP	75-CL <sup>2</sup>	60222	9.14	7.31	6.95	6.58	+
6.29	1/2", FIP, w/ Tee Handles	75-CLK <sup>2</sup>	60227	12.58	10.06	9.56	9.06	+
6.78	3/4", FIP, w/ Tee Handles	75-CLK <sup>2</sup>	60228	13.55	10.84	10.30	9.76	+
3.12	1/4", C x C	725 <sup>1</sup>	60454	6.24	4.99	4.74	4.49	+
3.17	3/8", C x C	725 <sup>1</sup>	60455	6.34	5.07	4.82	4.56	+
1.95	1/2", C x C	725 <sup>1</sup>	60456	3.90	3.12	2.96	2.81	
2.42	3/4", C x C	725 <sup>1</sup>	60457	4.84	3.87	3.68	3.48	+
3.60	1/2", C x C	725-CL <sup>2</sup>	60472	7.20	5.76	5.47	5.18	+
3.93	3/4", C x C	725-CL <sup>2</sup>	60473	7.85	6.28	5.97	5.65	+



<sup>1</sup> North American Made - Made in Mexico  
<sup>2</sup> Classic Line - USA Produced

**STOP & WASTE**


2.65	1/2", FIP	76 <sup>1</sup>	60247	5.30	4.24	4.03	3.82	
3.39	3/4", FIP	76 <sup>1</sup>	60248	6.77	5.42	5.15	4.87	+
4.41	1/2", FIP	76-CL <sup>2</sup>	60256	8.82	7.06	6.70	6.35	+
5.06	3/4", FIP	76-CL <sup>2</sup>	60257	10.11	8.09	7.68	7.28	+
3.28	3/8", C x C	726 <sup>1</sup>	60487	6.56	5.25	4.99	4.72	+
1.95	1/2", C x C	726 <sup>1</sup>	60488	3.90	3.12	2.96	2.81	
2.42	3/4", C x C	726 <sup>1</sup>	60489	4.84	3.87	3.68	3.48	+
3.66	1/2", C x C	726-CL <sup>2</sup>	60498	7.31	5.85	5.56	5.26	+
3.93	3/4", C x C	726-CL <sup>2</sup>	60499	7.85	6.28	5.97	5.65	+
3.98	1/2", C x C	726-LCL <sup>2</sup>	60503	7.96	6.37	6.05	5.73	+
4.03	3/4", C x C	726-LCL <sup>2</sup>	60504	8.06	6.45	6.13	5.80	+



<sup>1</sup> North American Made - Made in Mexico  
<sup>2</sup> Classic Line - USA Produced

**ANGLE**

3.98	1/2", FIP	77 <sup>1</sup>	60270	7.96	6.37	6.05	5.73	+
4.41	3/4", FIP	77 <sup>1</sup>	60271	8.82	7.06	6.70	6.35	+
3.77	1/2", C x C	777 <sup>1</sup>	60525	7.53	6.02	5.72	5.42	+
4.14	3/4", C x C	777 <sup>1</sup>	60526	8.28	6.62	6.29	5.96	+
4.30	3/4", FIP x Cup	777-17 <sup>1</sup>	60528	8.60	6.88	6.54	6.19	+



<sup>1</sup> North American Made - Made in Mexico

**STOPS**  
**125 lb WOG; NON-KINK STYLE**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
<b>STANDARD</b>								
2.27	1/2", FIP x Hose End	63 <sup>1</sup>	60106	4.54	3.63	3.45	3.27	
3.23	3/4", FIP x Hose End	63 <sup>1</sup>	60107	6.45	5.16	4.90	4.64	+
4.09	1/2", FIP x Hose End	63-CL <sup>2</sup>	60112	8.17	6.54	6.21	5.88	+
4.30	3/4", FIP x Hose End	63-CL <sup>2</sup>	60113	8.60	6.88	6.54	6.19	+
2.35	1/2", Cop x Hose End	763 <sup>1</sup>	60513	4.70	3.76	3.57	3.38	
3.34	3/4", Cop x Hose End	763 <sup>1</sup>	60514	6.67	5.34	5.07	4.80	+
4.20	1/2", Cop x Hose End	763-CL <sup>2</sup>	60517	8.39	6.71	6.38	6.04	+
4.46	3/4", Cop x Hose End	763-CL <sup>2</sup>	60518	8.92	7.14	6.78	6.42	+

<sup>1</sup> North American Made - Made in Mexico

<sup>2</sup> Classic Line - USA Produced

**w/ LOCKSHIELD**

5.65	1/2", FIP x Hose End	63-CL-LS <sup>1</sup>	60114	11.29	9.03	8.58	8.13	+
6.02	3/4", FIP x Hose End	63-CL-LS <sup>1</sup>	60115	12.04	9.63	9.15	8.67	+
5.92	1/2", Cop x Hose End	763-CL-LS <sup>1</sup>	60519	11.83	9.46	8.99	8.52	+
6.88	3/4", Cop x Hose End	763-CL-LS <sup>1</sup>	60520	13.76	11.01	10.46	9.91	+

<sup>1</sup> Classic Line - USA Produced

**BIBBS - HOSE**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
1.97	1/2", Cop x Hose	46 <sup>1</sup>	95056	3.94	3.15	2.99	2.84	
1.97	1/2", Male x Hose	46 <sup>1</sup>	90014	3.94	3.15	2.99	2.84	
2.60	3/4", Male x Hose	46 <sup>1</sup>	60067	5.20	4.16	3.95	3.74	
2.07	1/2", Cop x Hose	46-U <sup>2</sup>	90016	4.14	3.31	3.15	2.98	
2.74	1/2", Male x Hose	46-U <sup>2</sup>	60072	5.48	4.38	4.16	3.95	+
2.91	3/4", Male x Hose	46-U <sup>2</sup>	60073	5.81	4.65	4.42	4.18	+

<sup>1</sup> North American Made - Made in Mexico

<sup>2</sup> Classic Line - USA Produced

**HEAVY DUTY**

2.60	1/2", Cop x Hose	56-U <sup>1</sup>	90019	5.19	4.15	3.94	3.74	
2.60	1/2", Male x Hose	56-U <sup>1</sup>	90020	5.19	4.15	3.94	3.74	
3.50	3/4", Male x Hose	56-U <sup>1</sup>	60091	6.99	5.59	5.31	5.03	+

<sup>1</sup> Classic Line - USA Produced

**BIBBS - HOSE - NO-KINK**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
---------------------------------	-------------	-------------------	-------------	------------------------	-----------------------	-------------------------	--------------------------	--

**MALE 3/4" COP FIT, 1/2" COP & HOSE**

2.58	1/2"	44-U <sup>1</sup>	60056	5.16	4.13	3.92	3.72	+
2.74	3/4"	44-U <sup>1</sup>	60057	5.48	4.38	4.16	3.95	+

<sup>1</sup> Classic Line - USA Produced

**FEMALE 3/4" COP FIT, 1/2" COP & HOSE**

2.53	1/2"	45-U <sup>1</sup>	60062	5.05	4.04	3.84	3.64	+
2.69	3/4"	45-U <sup>1</sup>	60063	5.38	4.30	4.09	3.87	+

<sup>1</sup> Classic Line - USA Produced

**3/4" FIT OR 1/2" COP & HOSE**

2.58	1/2 or 3/4"	47-U <sup>1</sup>	60084	5.16	4.13	3.92	3.72	+
------	-------------	-------------------	-------	------	------	------	------	---


<sup>1</sup> North American Made - Made in Mexico



63

**BIBBS - HOSE - FROSTPROOF**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
<b>1/2" COP &amp; MIP x HOSE</b>								
7.44	4", Regular Style	80 <sup>1</sup>	90055	14.87	11.90	11.30	10.71	
7.80	6", Regular Style	80 <sup>1</sup>	96253	15.59	12.47	11.85	11.22	
8.07	8", Regular Style	80 <sup>1</sup>	90057	16.13	12.90	12.26	11.61	
8.36	10", Regular Style	80 <sup>1</sup>	96255	16.72	13.38	12.71	12.04	
8.81	12", Regular Style	80 <sup>1</sup>	90059	17.61	14.09	13.38	12.68	
9.53	14", Regular Style	80 <sup>1</sup>	96257	19.06	15.25	14.49	13.72	



<sup>1</sup> Classic Line - USA Produced

<b>3/4" COP &amp; MIP x HOSE</b>								
7.44	4", Regular Style	80 <sup>1</sup>	90061	14.87	11.90	11.30	10.71	
7.80	6", Regular Style	80 <sup>1</sup>	96259	15.59	12.47	11.85	11.22	
8.07	8", Regular Style	80 <sup>1</sup>	90063	16.13	12.90	12.26	11.61	
8.36	10", Regular Style	80 <sup>1</sup>	96261	16.72	13.38	12.71	12.04	
8.81	12", Regular Style	80 <sup>1</sup>	90065	17.61	14.09	13.38	12.68	
9.53	14", Regular Style	80 <sup>1</sup>	96263	19.06	15.25	14.49	13.72	

<sup>1</sup> Classic Line - USA Produced

<b>1/2" COP &amp; MIP x HOSE w/ METAL HANDLE</b>								
7.44	4", Regular Style	80-M <sup>1</sup>	60278	14.87	11.90	11.30	10.71	
7.80	6", Regular Style	80-M <sup>1</sup>	60279	15.59	12.47	11.85	11.22	
8.07	8", Regular Style	80-M <sup>1</sup>	60280	16.13	12.90	12.26	11.61	
8.36	10", Regular Style	80-M <sup>1</sup>	60281	16.72	13.38	12.71	12.04	
8.81	12", Regular Style	80-M <sup>1</sup>	60282	17.61	14.09	13.38	12.68	
9.53	14", Regular Style	80-M <sup>1</sup>	60283	19.06	15.25	14.49	13.72	


<sup>1</sup> Classic Line - USA Produced

<b>3/4" COP &amp; MIP x HOSE w/ METAL HANDLE</b>								
7.44	4", Regular Style	80-M <sup>1</sup>	60284	14.87	11.90	11.30	10.71	
7.80	6", Regular Style	80-M <sup>1</sup>	60285	15.59	12.47	11.85	11.22	
8.07	8", Regular Style	80-M <sup>1</sup>	60286	16.13	12.90	12.26	11.61	
8.36	10", Regular Style	80-M <sup>1</sup>	60287	16.72	13.38	12.71	12.04	
8.81	12", Regular Style	80-M <sup>1</sup>	60288	17.61	14.09	13.38	12.68	
9.53	14", Regular Style	80-M <sup>1</sup>	60289	19.06	15.25	14.49	13.72	

<sup>1</sup> Classic Line - USA Produced

<b>1/2" COP &amp; MIP x HOSE</b>								
9.98	4", w/ Integral Vacuum	90 <sup>1</sup>	90069	19.95	15.96	15.16	14.36	
10.38	6", w/ Integral Vacuum	90 <sup>1</sup>	96289	20.76	16.61	15.78	14.95	
10.72	8", w/ Integral Vacuum	90 <sup>1</sup>	90071	21.44	17.15	16.29	15.44	
11.06	10", w/ Integral Vacuum	90 <sup>1</sup>	96291	22.12	17.70	16.81	15.93	
11.39	12", w/ Integral Vacuum	90 <sup>1</sup>	90073	22.78	18.22	17.31	16.40	
11.73	14", w/ Integral Vacuum	90 <sup>1</sup>	96293	23.46	18.77	17.83	16.89	

<sup>1</sup> Classic Line - USA Produced



<b>3/4" MIP &amp; 1/2" FIP x HOSE</b>								
9.98	4", w/ Integral Vacuum	90 <sup>1</sup>	90075	19.95	15.96	15.16	14.36	
10.38	6", w/ Integral Vacuum	90 <sup>1</sup>	96295	20.76	16.61	15.78	14.95	
10.72	8", w/ Integral Vacuum	90 <sup>1</sup>	90077	21.44	17.15	16.29	15.44	
11.06	10", w/ Integral Vacuum	90 <sup>1</sup>	96297	22.12	17.70	16.81	15.93	
11.39	12", w/ Integral Vacuum	90 <sup>1</sup>	90079	22.78	18.22	17.31	16.40	
11.73	14", w/ Integral Vacuum	90 <sup>1</sup>	96299	23.46	18.77	17.83	16.89	

<sup>1</sup> Classic Line - USA Produced

<b>1/2" COP &amp; MIP x HOSE w/ METAL HANDLE</b>								
9.98	4", Regular Style	90-M <sup>1</sup>	60330	19.95	15.96	15.16	14.36	
10.38	6", Regular Style	90-M <sup>1</sup>	60331	20.76	16.61	15.78	14.95	
10.72	8", Regular Style	90-M <sup>1</sup>	60332	21.44	17.15	16.29	15.44	
11.06	10", Regular Style	90-M <sup>1</sup>	60333	22.12	17.70	16.81	15.93	
11.39	12", Regular Style	90-M <sup>1</sup>	60334	22.78	18.22	17.31	16.40	
11.73	14", Regular Style	90-M <sup>1</sup>	60335	23.46	18.77	17.83	16.89	

<sup>1</sup> Classic Line - USA Produced

**BIBBS - HOSE - FROSTPROOF**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
<b>3/4" MIP &amp; 1/2" FIP x HOSE w/ METAL HANDLE</b>								
9.98	4", Regular Style	90-M <sup>1</sup>	60336	19.95	15.96	15.16	14.36	
10.38	6", Regular Style	90-M <sup>1</sup>	60337	20.76	16.61	15.78	14.95	
10.72	8", Regular Style	90-M <sup>1</sup>	60338	21.44	17.15	16.29	15.44	
11.06	10", Regular Style	90-M <sup>1</sup>	60339	22.12	17.70	16.81	15.93	
11.39	12", Regular Style	90-M <sup>1</sup>	60340	22.78	18.22	17.31	16.40	
11.73	14", Regular Style	90-M <sup>1</sup>	60341	23.46	18.77	17.83	16.89	

<sup>1</sup> Classic Line - USA Produced

**VALVES - GARDEN**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
4.20	1/2"	61 <sup>1</sup>	60098	8.39	6.71	6.38	6.04	+
4.20	3/4"	61 <sup>1</sup>	60099	8.39	6.71	6.38	6.04	+

<sup>1</sup> Classic Line - USA Produced

**VALVES - SPECIALTY**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
<b>STOP &amp; WASTE</b>								
4.84	1/2", Compression Ends	4476 <sup>1</sup>	60545	9.68	7.74	7.36	6.97	+
6.67	3/4", Compression Ends	4476 <sup>1</sup>	60546	13.33	10.66	10.13	9.60	+
5.97	1/2", CPVC x CPVC	4776 <sup>1</sup>	60553	11.94	9.55	9.07	8.60	+
9.30	3/4", CPVC x CPVC	4776 <sup>1</sup>	60554	18.60	14.88	14.14	13.39	+

<sup>1</sup> North American Made - Made in Mexico

**FLARED STOPS - COP x THREADED**

11.24	3/4 x 1/2	577-17 <sup>1</sup>	60431	22.47	17.98	17.08	16.18	+
12.85	3/4 x 3/4	577-17 <sup>1</sup>	60430	25.70	20.56	19.53	18.50	+
22.53	1 x 3/4	577-17 <sup>1</sup>	60432	45.05	36.04	34.24	32.44	+

<sup>1</sup> North American Made - Made in Mexico

**FLARED STOP & WASTE - COP x THREADED**

11.24	3/4 x 1/2	578-17 <sup>1</sup>	60434	22.47	17.98	17.08	16.18	+
13.17	3/4 x 3/4	578-17 <sup>1</sup>	60433	26.34	21.07	20.02	18.96	+
22.85	1 x 3/4	578-17 <sup>1</sup>	60435	45.70	36.56	34.73	32.90	+

<sup>1</sup> North American Made - Made in Mexico

**BOILER DRAINS**

Also For Other Hose Hook-Ups

3.17	1/2", C & MIP & Hose	64 <sup>1</sup>	60122	6.34	5.07	4.82	4.56	+
3.71	1/2", C & MIP & Hose, Long	64-L <sup>1</sup>	60134	7.42	5.94	5.64	5.34	+
5.22	1/2", C & MIP & Hose, 2 Piece	64-LA <sup>1</sup>	60128	10.43	8.34	7.93	7.51	+
1.51	1/2 Adapter For 64	64-ADP <sup>1</sup>	60126	3.01	2.41	2.29	2.17	+
1.75	1/2", C & MIP x Hose	74 <sup>1</sup>	60183	3.50	2.80	2.66	2.52	
2.00	3/4", C & MIP x Hose	74 <sup>1</sup>	60184	4.00	3.20	3.04	2.88	
3.34	1/2", C & MIP x Hose	74-CL <sup>2</sup>	60186	6.67	5.34	5.07	4.80	+
3.55	3/4", C & MIP x Hose	74-CL <sup>2</sup>	60185	7.10	5.68	5.40	5.11	+
3.50	1/2", Cop Fitting x Hose	74-2 <sup>1</sup>	60198	6.99	5.59	5.31	5.03	+
4.03	1/2", Comp & Hose	4464 <sup>1</sup>	60534	8.06	6.45	6.13	5.80	+
2.25	1/2", FIP & Hose	73 <sup>1</sup>	60179	4.50	3.60	3.42	3.24	
2.60	3/4", FIP & Hose	73 <sup>1</sup>	60180	5.20	4.16	3.95	3.74	
3.71	1/2", FIP & Hose	73-CL <sup>2</sup>	60181	7.42	5.94	5.64	5.34	+
4.03	3/4", FIP & Hose	73-CL <sup>2</sup>	60182	8.06	6.45	6.13	5.80	+

<sup>1</sup> North American Made - Made in Mexico

<sup>2</sup> Classic Line - USA Produced



4776



74



4464

**VALVES - SPECIALTY**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
---------------------------------	-------------	-------------------	-------------	------------------------	-----------------------	-------------------------	--------------------------	--

**BOILER DRAIN**

**DUAL THREADED 1/2" FIP & 3/4"; MIP x HOSE**

3.60	1/2" x 3/4, FIP x MIP x Hose	74-DC <sup>1</sup>	60191	7.20	5.76	5.47	5.18	+
------	------------------------------	--------------------	-------	------	------	------	------	---

<sup>1</sup> North American Made - Made in Mexico

**OIL TANK VALVES**

6.45	1/2" x 3/8, MIP x MIP	81 <sup>1</sup>	60318	12.90	10.32	9.80	9.29	+
6.45	1/2" x 3/8, MIP x Flare	82 <sup>1</sup>	60322	12.90	10.32	9.80	9.29	+

<sup>1</sup> North American Made - Made in Mexico

**U-VALVES**

STOCKING DIST .5000F -50%	DESCRIPTION	PRODUCT NUMBER	ITEM NO.	MFR. LIST/ TRADE	COL 1 -20% EACH	COL 2 -20/5% EACH	COL 3 -20/10% EACH	
---------------------------------	-------------	-------------------	-------------	------------------------	-----------------------	-------------------------	--------------------------	--

**w/ INTEGRAL O-RING; 180°F MAX w/ BUNA-N COVERED PLUNGER**

8.23	1/4, FIP	T-22 <sup>1</sup>	60921	16.46	13.17	12.51	11.85	
7.48	3/8, FIP	T-22 <sup>1</sup>	60922	14.96	11.97	11.37	10.77	
7.48	1/2, FIP	T-22 <sup>1</sup>	60923	14.96	11.97	11.37	10.77	
9.10	3/4, FIP	T-22 <sup>1</sup>	60924	18.20	14.56	13.83	13.10	
16.05	1, FIP	T-22 <sup>1</sup>	60925	32.09	25.67	24.39	23.10	
24.47	1-1/4, FIP	T-22 <sup>1</sup>	60926	48.93	39.14	37.19	35.23	
30.99	1-1/2, FIP	T-22 <sup>1</sup>	60927	61.98	49.58	47.10	44.63	
46.91	2, FIP	T-22 <sup>1</sup>	60928	93.82	75.06	71.30	67.55	
9.22	1/8, C x C	S-22 <sup>1</sup>	60910	18.43	14.74	14.01	13.27	
8.23	1/4, C x C	S-22 <sup>1</sup>	60911	16.46	13.17	12.51	11.85	
7.48	3/8, C x C	S-22 <sup>1</sup>	60912	14.96	11.97	11.37	10.77	
7.48	1/2, C x C	S-22 <sup>1</sup>	60913	14.96	11.97	11.37	10.77	
9.10	3/4, C x C	S-22 <sup>1</sup>	60914	18.20	14.56	13.83	13.10	
16.05	1, C x C	S-22 <sup>1</sup>	60915	32.09	25.67	24.39	23.10	
24.47	1-1/4, C x C	S-22 <sup>1</sup>	60916	48.93	39.14	37.19	35.23	
30.99	1-1/2, C x C	S-22 <sup>1</sup>	60917	61.98	49.58	47.10	44.63	
46.91	2, C x C	S-22 <sup>1</sup>	60918	93.82	75.06	71.30	67.55	

<sup>1</sup> Classic Line - USA Produced

**w/ DRAIN CAP**

8.32	1/2, FIP	T-22D <sup>1</sup>	60999	16.64	13.31	12.65	11.98	
9.96	3/4, FIP	T-22D <sup>1</sup>	61000	19.91	15.93	15.13	14.34	
18.14	1, FIP	T-22D <sup>1</sup>	61001	36.28	29.02	27.57	26.12	
26.99	1-1/4, FIP	T-22D <sup>1</sup>	61002	53.97	43.18	41.02	38.86	
34.99	1-1/2, FIP	T-22D <sup>1</sup>	61003	69.97	55.98	53.18	50.38	
50.27	2, C x C	T-22D <sup>1</sup>	61004	100.54	80.43	76.41	72.39	
8.32	1/2, C x C	S-22D <sup>1</sup>	60989	16.64	13.31	12.65	11.98	
9.96	3/4, C x C	S-22D <sup>1</sup>	60990	19.91	15.93	15.13	14.34	
18.14	1, C x C	S-22D <sup>1</sup>	60991	36.28	29.02	27.57	26.12	
26.99	1-1/4, C x C	S-22D <sup>1</sup>	60992	53.97	43.18	41.02	38.86	
34.84	1-1/2, C x C	S-22D <sup>1</sup>	60993	69.67	55.74	52.95	50.16	
50.27	2, C x C	S-22D <sup>1</sup>	60994	100.54	80.43	76.41	72.39	

<sup>1</sup> Classic Line - USA Produced

