







Size	A	B	A	B
 <b>CONDUIT</b>				
	<b>STEEL</b> <i>Per Foot</i>		<b>ALUMINUM</b> <i>Per Foot</i>	
3/8"	\$ .62	\$ .83	\$ .67	\$ .89
1/2	.71	.94	.77	1.03
3/4	.96	1.28	1.06	1.41
1	1.76	2.34	2.00	2.66
1 1/4	2.26	3.01	2.78	3.70
1 1/2	3.69	4.92	3.98	5.30
2				


Size	A	B
 <b>DIE CAST SCREW-IN CONNECTORS</b> <i>Non-Insulated</i>		
3/8"	.80	.94
1/2	.87	1.02
3/4	2.24	2.64
1	4.79	5.64
1 1/4	9.64	11.34
1 1/2	13.80	16.23
2	28.30	33.29


 <b>FLEX-TO-FLEX SCREW-IN COUPLINGS</b>		
1/2"	2.48	2.92
3/4	6.93	8.15
1	13.52	15.90
1 1/4	22.98	27.03
1 1/2	29.94	35.22
2	49.26	57.95

 <b>FLEX-TO-RIGID SQUEEZE COUPLINGS</b>		
1/2"	4.22	4.97
3/4	5.72	6.73
1	8.45	9.94
1 1/4	18.94	22.28
1 1/2	28.74	33.81
2	40.94	48.17


Size	A	B	A	B
 <b>STRAIGHT SQUEEZE CONNECTORS</b>				
	<b>DIE CAST</b>		<b>MALLEABLE</b>	
3/8"	\$1.56	\$1.84	\$1.31	\$1.54
3/8" O/S	---	---	2.08	2.45
1/2	2.07	2.43	2.30	2.70
3/4	3.03	3.57	2.74	3.22
1	7.66	9.01	7.06	8.30
1 1/4	19.29	22.69	11.08	13.04
1 1/2	26.61	31.30	16.69	19.63
2	34.48	40.57	21.30	25.06

Size	A	B
 <b>STRAIGHT SQUEEZE CONNECTORS WITH INSULATED THROAT</b> <i>Malleable</i>		
3/8"	2.68	3.15
1/2	2.85	3.35
3/4	3.16	3.72
1	6.76	7.95
1 1/4	12.17	14.32
1 1/2	18.00	21.18
2	27.23	32.03

 <b>90° ANGLE CLAMP CONNECTORS</b> <i>Malleable</i>		
3/8"	2.10	2.47
1/2	3.55	4.18
3/4	5.58	6.56
1	9.66	11.36
1 1/4	19.62	23.08
1 1/2	31.79	37.40
2	39.47	46.44


 <b>90° ANGLE CLAMP CONNECTORS</b> <i>Die Cast</i>		
3/8"	1.52	1.79
1/2	2.09	2.46
3/4	5.59	6.58

Size A B




**FLEXIBLE SET SCREW CONNECTORS**  
*Die Cast*

3/8"	\$ .54	\$ .64
1/2	1.13	1.33
3/4	2.47	2.91



**FLEXIBLE TWO SCREW CLAMP CONNECTORS**  
*Die Cast*


3/8"	1.16	1.36
1/2	2.63	3.09



**FLEXIBLE 45° ANGLE CLAMP CONNECTORS**  
*Malleable*


3/8"	2.94	3.46
1/2	4.85	5.71
3/4	7.05	8.29

Size A B



**FLEX-TO-EMT SQUEEZE COUPLINGS**  
*Malleable Iron*

3/8"	\$2.32	\$2.73
1/2	4.24	4.99
3/4	5.47	6.43
1	14.45	17.00




**FLEXIBLE TWO SCREW CLAMP CONNECTORS**  
*Steel or Malleable*

3/8"	1.38	1.62
1/2	2.80	3.29
3/4 (Small)	4.86	5.72
3/4	5.44	6.40
1	7.85	9.23
1 1/4	12.38	14.57
1 1/2	17.43	20.50
2	24.82	29.20

Size A B

**LIQUID TIGHT FLEXIBLE CONDUIT**

*Type EF  
Extra Flexible  
J.I.C. Non-U.L.*




3/8"	\$ .89	\$1.27
1/2	1.04	1.49
3/4	1.36	1.94
1	2.13	3.04
1 1/4	2.74	3.92
1 1/2	4.23	6.04
2	5.12	7.31

Size A B

**LIQUID TIGHT FLEXIBLE CONDUIT**

*Type EFST  
Extra Flexible Steel  
J.I.C. Non-U.L.*




3/8"	\$1.36	\$1.94
1/2	1.47	2.10
3/4	1.94	2.77
1	2.87	4.10
1 1/4	4.05	5.79
1 1/2	5.51	7.87
2	7.19	10.27

Size A B

**LIQUID TIGHT FLEXIBLE CONDUIT**


*Type UA  
Steel U.L. Listed*



3/8"	\$1.73	\$2.47
1/2	1.87	2.67
3/4	2.63	3.75
1	3.96	5.65
1 1/4	5.43	7.75
1 1/2	6.31	9.01
2	7.85	11.22

**LIQUID TIGHT FLEXIBLE CONDUIT**

*Type HC Steel  
High and Low Temp.*



3/8"	2.39	3.42
1/2	2.53	3.61
3/4	3.49	4.99
1	5.09	7.27
1 1/4	6.90	9.86
1 1/2	8.79	12.55
2	11.61	16.58

**LIQUID TIGHT FLEXIBLE CONDUIT**

*Non-Metallic Carlon Carflex*



3/8"	1.55	2.22
1/2	1.29	1.84
3/4	1.87	2.67
1	3.21	4.59
1 1/4	3.30	4.72
1 1/2	5.70	8.14
2	6.76	9.65

**TWO PIECE SEALING "O" RINGS**



1/2"	.94	1.11
3/4	1.05	1.23
1	1.50	1.77
1 1/4	2.49	2.93
1 1/2	3.01	3.54
2	3.72	4.38

**LIQUID TIGHT FLEXIBLE CONDUIT**

*Non-Metallic Connectors  
for Carlon Carflex*

*Straight*




3/8"	7.44	14.88
1/2	3.96	7.91
3/4	5.89	11.77
1	10.68	21.36
1 1/4	19.18	38.36
1 1/2	26.70	53.39
2	49.91	99.81


**LIQUID TIGHT FLEXIBLE CONDUIT**


*Non-Metallic Connectors  
for Carlon Carflex*


*90° Angle*





3/8"	11.64	23.28
1/2	6.46	12.91
3/4	9.20	18.39
1	8.63	17.25
1 1/4	40.37	80.73
1 1/2	53.66	107.31
2	78.48	156.96


Size	A	B
 <p><b>STRAIGHT CONNECTORS</b></p>		
3/8"	\$3.70	\$4.35
1/2	3.14	3.69
3/4	4.52	5.32
1	6.75	7.94
1 1/4	14.35	16.88
1 1/2	18.44	21.69
2	33.17	39.02


Size	A	B
 <p><b>STRAIGHT CONNECTORS</b> <i>With Insulated Throat</i></p>		
3/8"	\$4.13	\$4.86
1/2	4.13	4.86
3/4	6.05	7.12
1	9.36	11.01
1 1/4	14.28	16.80
1 1/2	20.45	24.06
2	38.38	45.15

Size	A	B
 <p><b>45° ANGLE CONNECTORS</b></p>		
3/8"	5.25	6.18
1/2	5.25	6.18
3/4	7.96	9.36
1	16.41	19.31
1 1/4	25.25	29.70
1 1/2	31.32	36.85
2	45.76	53.84


Size	A	B
 <p><b>45° ANGLE CONNECTORS</b> <i>With Insulated Throat</i></p>		
3/8"	5.25	6.18
1/2	5.25	6.18
3/4	7.96	9.36
1	16.41	19.31
1 1/4	25.25	29.70
1 1/2	31.32	36.85
2	45.76	53.84


Size	A	B
 <p><b>90° ANGLE CONNECTORS</b></p>		
3/8"	5.25	6.18
1/2	5.58	6.57
3/4	8.45	9.94
1	16.25	19.12
1 1/4	25.09	29.52
1 1/2	30.14	35.46
2	45.44	53.46


Size	A	B
 <p><b>90° ANGLE CONNECTORS</b> <i>With Insulated Throat</i></p>		
3/8"	6.49	7.64
1/2	6.49	7.64
3/4	9.78	11.51
1	18.58	21.86
1 1/4	28.32	33.32
1 1/2	34.73	40.86
2	51.85	61.00

Size	A	B	A	B
				
<b>PVC CONDUIT</b>				
	<b>Schedule 40 Heavy Wall Per Foot</b>		<b>Schedule 80 Extra Heavy Wall Per Foot</b>	
1/2"	\$.15	\$.27	\$.23	\$.42
3/4	.19	.34	.31	.57
1	.27	.49	.44	.80
1 1/4	.39	.71	.57	1.04
1 1/2	.45	.82	.68	1.24
2	.57	1.04	.90	1.63


P.O.A. = Price On Application. Please Contact Your Supplier.

				
<b>90° PVC ELBOWS</b>				
	<b>Schedule 40</b>		<b>Schedule 80</b>	
1/2"	.72	1.31	2.14	3.89
3/4	.71	1.29	4.13	7.51
1	1.07	1.95	5.15	9.36
1 1/4	1.66	3.02	5.05	9.18
1 1/2	2.15	3.90	11.20	20.36
2	2.89	5.25	13.41	24.39


Size	A		B	
				
<b>30° PVC ELBOWS</b>				
	<b>Schedule 40</b>		<b>Schedule 80</b>	
1/2"	\$10.06	\$18.29	\$18.01	\$32.75
3/4	10.25	18.64	18.25	33.18
1	11.20	20.36	18.93	34.41
1 1/4	38.18	69.42	36.94	67.16
1 1/2	56.49	102.71	59.94	108.99
2	40.75	74.09	73.51	133.66

				
<b>45° PVC ELBOWS</b>				
	<b>Schedule 40</b>		<b>Schedule 80</b>	
1/2"	1.38	2.50	4.33	7.87
3/4	1.88	3.42	4.94	8.98
1	2.40	4.37	5.78	10.51
1 1/4	1.59	2.89	7.58	13.78
1 1/2	2.15	3.91	12.94	23.53
2	3.03	5.51	14.18	25.79


**PLASTIC CONDUIT ADAPTERS**

				
	<b>FEMALE</b>		<b>MALE</b>	
1/2"	.26	.48	.20	.37
3/4	.37	.67	.34	.61
1	.51	.92	.45	.82
1 1/4	.75	1.37	.59	1.08
1 1/2	.80	1.46	.78	1.42
2	.96	1.75	.99	1.80


**PLASTIC CONDUIT COUPLINGS**


				
1/2"		.17	.30	
3/4		.19	.35	
1		.29	.53	
1 1/4		.44	.80	
1 1/2		.54	.99	
2		.70	1.28	


**PLASTIC CONDUIT EXPANSION JOINTS**


				
	<b>2"</b>		<b>6"</b>	
1/2"	20.02	26.69	39.46	52.61
3/4	18.17	24.22	32.42	43.23
1	24.96	33.28	34.52	46.03
1 1/4	34.28	45.70	36.47	48.62
1 1/2	41.18	54.91	38.79	51.72
2	42.35	56.46	37.55	50.07


**END CAPS**


				
1/2"		.47	.85	
3/4		1.77	3.22	
1		2.19	3.99	
1 1/4		.84	1.52	
1 1/2		.97	1.76	
2		4.63	8.42	


Size	A	B
		
<b>TYPE C PLASTIC CONDUIT</b>		
1/2"	\$4.84	\$6.45
3/4	8.10	10.80
1	5.85	7.80
1 1/4	15.07	20.09
1 1/2	14.48	19.31
2	24.63	32.85


Size	A	B
		
<b>TYPE LL PLASTIC CONDUIT</b>		
1/2"	4.84	6.45
3/4	8.15	10.87
1	13.47	17.96
1 1/4	22.13	29.50
1 1/2	21.01	28.01
2	24.33	32.44


Size	A	B
		
<b>TYPE T PLASTIC CONDUIT</b>		
1/2"	6.60	8.80
3/4	7.14	9.52
1	8.00	10.67
1 1/4	13.98	18.64
1 1/2	16.48	21.98
2	25.02	33.36

Size	A	B
		
<b>PLASTIC CONDUIT BELL ENDS</b>		
1"	2.78	5.05
1 1/4	3.32	6.04
1 1/2	3.18	5.78
2	3.89	7.07

Size	A	B
		
<b>TYPE LB PLASTIC CONDUIT</b>		
1/2"	\$3.73	\$4.97
3/4	5.64	7.51
1	6.16	8.21
1 1/4	9.55	1.74
1 1/2	11.37	15.16
2	17.92	23.89

Size	A	B
		
<b>TYPE LR PLASTIC CONDUIT</b>		
1/2"	4.79	6.38
3/4	3.36	4.48
1	3.78	5.04
1 1/4	4.32	5.77
1 1/2	10.10	13.47
2	9.56	12.75

Size	A	B
		
<b>TYPE E PLASTIC CONDUIT</b>		
1/2"	6.25	8.33
3/4	6.73	8.98
1	6.57	8.75
1 1/4	14.97	19.96
1 1/2	14.69	19.59
2	27.05	36.07

Size	A	B
		
<b>PVC CEMENT</b> <i>For Solvent-Welding PVC Conduit</i>		
1/2 Pt. Container	8.28	15.06
1 Pt. Container - with dauber top	13.38	24.32
1 Qt. Container - with dauber top	9.40	17.09
1 Gal. Pour Top - with pour top	8.10	14.72


Size A B



**“O” RINGS  
(FLAT WASHER)**


Where a waterproof termination is required into any enclosure (metallic or nonmetallic) install the neoprene washer over the threads of a terminal adapter before inserting in the enclosure. Use a standard locknut or threaded bushing to secure the assembly.

Size	A	B
1/2"	\$.32	\$.58
3/4	.50	.90
1	.44	.80
1 1/4	.79	1.43
1 1/2	.81	1.48
2	1.25	2.27



**PLASTIC RIGID  
SERVICE ENTRANCE  
CAPS**

Size	A	B
1/2"	6.59	8.79
3/4	8.75	11.67
1	10.32	13.76
1 1/4	13.51	18.01
1 1/2	16.28	21.70
2	22.74	30.32




*(Single Gang Device Boxes for Conduit Terminations)*

**TYPE FSE BOXES**

For dead-end terminations


Size	A	B
1/2"	11.81	15.75
3/4	12.03	16.04
1	12.14	16.18

Size A B



**PLASTIC RIGID  
TWO-HOLE STRAPS**

Size	A	B
1/2"	\$.38	\$.50
3/4	.47	.62
1	.83	1.11
1 1/4	1.10	1.46
1 1/2	1.13	1.51
2	1.38	1.84




*(Single Gang Device Boxes for Conduit Terminations)*

**TYPE FSC BOXES**

For through terminations

Size	A	B
1/2"	11.95	15.93
3/4	12.80	17.07
1	7.37	9.83





*(Single Gang Device Boxes for Conduit Terminations)*


**TYPE FSS BOXES**


For multiple dead-end circuit terminations or where additional support is required in stub-up applications

Size	A	B
1/2"	14.19	18.92
3/4	14.65	19.53
1	16.88	22.51

Size	A	B
	<b>JUNCTION BOXES</b>	
4 x 4 x 2"	\$9.33	\$16.96
4 x 4 x 4	14.88	27.05
4 x 4 x 6	20.29	36.89
5 x 5 x 2	17.08	31.05
6 x 6 x 4	17.05	31.00
6 x 6 x 6	21.70	39.45
8 x 8 x 4	32.52	59.13
8 x 8 x 7	52.94	96.26
12 x 12 x 4	54.99	99.98
12 x 12 x 6	50.09	91.07

	<b>WEATHERPROOF TOGGLE SWITCH COVER</b> <i>For single weatherproof toggle switch applications</i>	
Single gang with Gaskets	9.39	12.52

	<b>WEATHERPROOF SINGLE RECEPTACLE COVERS</b> <i>For single gang receptacles (with Gaskets)</i>	
15 Amp or other Single Receptacles under 1.375" dia.	13.17	17.56
20 Amp or other Single Receptacles under 1.625" dia.	25.53	34.04
30 Amp or other Single Receptacles under 1.750" dia.	25.58	34.11
50 Amp or other Single Receptacles under 2.320" dia.	17.34	23.12


Size	A	B
	<b>REDUCERS (Male to Female)</b>	
3/4" x 1/2"	\$1.27	\$2.30
1 x 1/2	2.77	5.04
1 x 3/4	2.98	5.42
1 1/4 x 3/4	1.79	3.26
1 1/4 x 1	3.87	7.03
1 1/2 x 1	4.32	7.85
1 1/2 x 1 1/4	1.46	2.66
2 x 1 1/4	4.87	8.85
2 x 1 1/2	4.81	8.74
2 1/2 x 2	15.18	27.60
3 x 2	15.56	28.29
4 x 3	17.97	32.67

	<b>WEATHERPROOF GFI RECEPTACLE COVER</b>	
Single gang with Gaskets	10.68	14.24


	<b>WEATHERPROOF DUPLEX RECEPTACLE COVER</b> <i>For single gang duplex receptacle applications</i>	
Single gang with Gaskets	16.39	21.85


	<b>WEATHERPROOF BLANK COVER</b> <i>For single gang FS Boxes</i>	
Single gang with Gaskets	4.91	6.55





Size	A	B
 <b>ENT TUBING CONDUIT</b>		
(Per Foot)		
1/2"	\$.60	\$.80
3/4"	.82	1.09
1"	1.37	1.82


Size	A	B
 <b>BLANK BOX COVER</b>		
4" Square Flat Box Cover	1.98	2.64


Size	A	B
 <b>SINGLE GANG 3" SWITCH BOXES</b> <i>3 - Inches Deep with Flat Brackets (16 cu. in.)</i>		
With 1/2" KO's	3.80	5.07
With 3/4" KO's	5.42	7.22


Size	A	B
 <b>E.N.T. BLUE QUICK-SET CEMENT</b> <i>with Dauber Top</i>		
1 Quart	28.31	37.74

Size	A	B
 <b>ONE GANG RAISED SWITCH RINGS</b> <i>4" Square</i>		
1/2" Raised	1.88	2.50
5/8" Raised	2.65	3.53
3/4" Raised	3.19	4.25
1" Raised	2.99	3.98
1 1/4" Raised	3.87	5.16

Size	A	B
 <b>CONNECTORS (Terminators)</b>		
1/2"	\$1.60	\$2.13
3/4"	2.87	3.82
1"	4.56	6.08

Size	A	B
 <b>COUPLINGS</b>		
1/2"	1.18	1.57
3/4"	1.40	1.87
1"	2.92	3.89

Size	A	B
 <b>TWO GANG 4" SWITCH BOXES</b> <i>with Flat Brackets</i>		
<b>1 1/2" - Inches Deep</b>		
<b>20 Cubic Inches</b>		
With 1/2" KO's	3.09	4.12
With 3/4" KO's	3.19	4.25
With 1/2" & 3/4" KO's	4.04	5.38
<b>2 3/8" - Inches Deep</b>		
<b>30.3 Cubic Inches</b>		
With 1/2" KO's	4.84	6.45
With 3/4" KO's	4.07	5.42
With 1/2" & 3/4" KO's	4.23	5.64

Size	A	B
 <b>TWO GANG RAISED SWITCH RINGS</b> <i>4" Square</i>		
1/2" Raised	2.83	3.77
5/8" Raised	3.95	5.27
3/4" Raised	4.38	5.84

Size


A

B

Size

A

B



## 40 MIL PVC COATED STEEL CONDUIT &amp; FITTINGS

RIGID STEEL  
CONDUIT

(Per Foot)

1/2"	\$4.64	\$5.16
3/4	5.39	5.99
1	6.98	7.75
1 1/4	8.83	9.81
1 1/2	10.74	11.93
2	14.00	15.56

ONE HOLE  
PIPE STRAP  
Malleable


1/2"	\$11.63	\$12.92
3/4	11.67	12.97
1	12.04	13.38
1 1/4	17.55	19.50
1 1/2	18.60	20.67
2	27.02	30.02

## 90° ELBOWS

1/2"	18.57	20.63
3/4	19.27	21.41
1	22.10	24.56
1 1/4	27.15	30.17
1 1/2	33.37	37.08
2	46.58	51.76

TWO HOLE  
PIPE STRAPS

1/2"	12.22	13.58
3/4	12.29	13.66
1	13.37	14.86
1 1/4	16.53	18.37
1 1/2	20.24	22.49
2	21.00	23.33



## COUPLINGS

1/2"	5.15	5.72
3/4	5.40	6.00
1	7.01	7.79
1 1/4	8.16	9.07
1 1/2	9.72	10.80
2	14.21	15.79



## CLAMP BACKS

1/2"	14.78	16.42
3/4	17.66	19.62
1	23.02	25.58
1 1/4	27.47	30.52
1 1/2	37.76	41.95
2	59.38	65.98

Size

A


B

Size

A


B

40 MIL PVC COATED STEEL CONDUIT FITTINGS




**KNOCKOUT HUBS**

1/2"	\$37.83	\$42.03
3/4"	42.97	47.74
1"	53.71	59.68
1 1/4"	61.74	68.60
1 1/2"	70.60	78.44
2"	101.60	112.89




**U BOLTS**

1/2"	\$7.96	\$8.84
3/4"	7.96	8.84
1"	7.96	8.84
1 1/4"	9.15	10.17
1 1/2"	9.64	10.71
2"	10.09	11.21



**MALE CONDUIT UNION**

1/2"	56.36	62.62
3/4"	62.50	69.44
1"	78.05	86.72
1 1/4"	126.52	140.58
1 1/2"	153.84	170.93
2"	192.47	213.86



**RIGHT ANGLE BEAM CLAMPS**

1/2"	23.90	26.55
3/4"	25.11	27.90
1"	25.42	28.24
1 1/4"	34.54	38.38
1 1/2"	42.53	47.26
2"	55.10	61.22



**FEMALE CONDUIT UNION**

1/2"	54.48	60.53
3/4"	55.44	61.60
1"	74.32	82.58
1 1/4"	119.68	132.98
1 1/2"	144.49	160.54
2"	192.47	213.86



**PARALLEL BEAM CLAMPS**

1/2"	27.76	30.84
3/4"	28.15	31.28
1"	34.52	38.36
1 1/4"	37.80	42.00
1 1/2"	42.71	47.46
2"	52.98	58.87

**CONDUIT STRAPS**

1/2"	8.40	9.33
3/4"	8.41	9.34
1"	9.23	10.26
1 1/4"	10.03	11.14
1 1/2"	11.66	12.95
2"	13.82	15.35



**EDGE TYPE BEAM CLAMPS**

1/2"	23.83	26.48
3/4"	25.03	27.81
1"	29.21	32.46

Size

A

B

Size

A

B


## 40 MIL PVC COATED STEEL CONDUIT FITTINGS

COATING  
COMPOUND


12 Oz. Spray	\$57.05	\$63.39
1 Pt. Can	64.91	72.12
1 Gal. Can	88.06	97.84

REDUCING  
COUPLINGS


¾ to ½"	38.49	42.77
1 to ½	40.81	45.34
1 to ¾	48.08	53.42
1¼ to ¾	60.96	67.73
1¼ to 1	65.09	72.32
1½ to ¾	51.83	57.59
1½ to 1	61.05	67.83
1½ to 1¼	102.85	114.28
2 to ¾	113.62	126.24
2 to 1	110.00	122.22
2 to 1¼	116.75	129.72
2 to 1½	133.52	148.36

STRAIGHT  
CONNECTORS  
*Liquid Tight*

¾"	\$47.45	52.72
½	47.45	52.72
¾	53.48	59.42
1	64.12	71.24
1¼	102.06	113.40
1½	120.79	134.21
2	211.16	234.62

90°  
CONNECTORS  
*Liquid Tight*


¾"	55.40	61.55
½	55.40	61.55
¾	65.49	72.77
1	99.30	110.33
1¼	181.55	201.72
1½	192.55	213.94
2	263.11	292.34

45°  
CONNECTORS  
*Liquid Tight*

¾"	52.47	58.30
½	55.90	62.11
¾	66.07	73.41
1	94.06	104.51
1¼	173.74	193.04
1½	190.48	211.64
2	249.24	276.93

40 MIL PVC COATED CONDUIT BODIES


*With Cover*

		Body with Form 7 Cover		Body with Form 8 Cover	
Size		A	B	A	B
<b>TYPE:</b> <b>C</b> <b>LL</b> <b>LR</b> 	1/2"	\$50.18	\$55.76	\$50.17	\$55.74
	3/4"	55.62	61.80	55.61	61.79
	1"	74.46	82.73	74.44	82.71
	1 1/4"	108.12	120.13	108.09	120.10
	1 1/2"	131.98	146.64	131.97	146.63
	2"	194.61	216.23	194.59	216.21
	2 1/2"	357.19	396.88	357.17	396.86
	3"	449.35	499.28	449.33	499.25
<b>TYPES:</b> <b>LB</b>	1/2"	50.18	55.76	50.17	55.74
	3/4"	55.62	61.80	55.61	61.79
	1"	74.46	82.73	74.44	82.71
	1 1/4"	108.12	120.13	108.09	120.10
	1 1/2"	131.98	146.64	131.97	146.63
	2"	194.61	216.23	194.59	216.21
	2 1/2"	357.19	396.88	357.17	396.86
	3"	449.35	499.28	449.33	499.25
<b>TYPE:</b> <b>T</b>	1/2"	57.92	64.36	57.92	64.36
	3/4"	72.55	80.61	72.55	80.61
	1"	86.68	96.31	86.67	96.30
	1 1/4"	121.97	135.52	121.96	135.51
	1 1/2"	152.38	169.31	152.36	169.29
	2"	221.29	245.88	221.27	245.85
	2 1/2"	373.84	415.38	373.82	415.35
	3"	498.90	554.33	498.89	554.32
	3 1/2"	726.66	807.40	-	-
	4"	788.98	876.64	-	-
<b>TYPE:</b> <b>TB</b>	1/2"	57.92	64.36	57.92	64.36
	3/4"	72.55	80.61	72.55	80.61
	1"	86.68	96.31	86.67	96.30
	1 1/4"	121.97	135.52	121.96	135.51
	1 1/2"	152.38	169.31	152.36	169.29
	2"	221.29	245.88	221.27	245.85
<b>TYPE:</b> <b>X</b>	1/2"	63.50	70.56	63.50	70.56
	3/4"	74.39	82.66	74.38	82.64
	1"	100.20	111.33	100.18	111.31
	1 1/4"	151.85	168.72	151.84	168.71
	1 1/2"	198.67	220.74	198.67	220.74
	2"	285.42	317.13	285.40	317.11

Size

A

B




## 40 MIL PVC COATED STEEL CONDUIT FITTINGS

## PULLING ELBOWS

*With Cover*

1/2"	\$107.51	\$119.46
3/4	131.63	146.25
1	139.80	155.33
1 1/4	222.32	247.02
1 1/2	313.26	348.07
2	326.39	362.65

PULLING ELBOWS  
EXPLOSION-PROOF*With Cover**For Hazardous Locations*

1/2"	222.73	247.48
3/4	240.70	267.44
1	539.28	599.20
1 1/4	585.28	650.31
1 1/2	788.07	875.63
2	825.43	917.14

FEMALE  
EYS SEALING  
HUBS

1/2"	65.06	72.29
3/4	66.84	74.27
1	80.26	89.18
1 1/4	96.38	107.09
1 1/2	132.91	147.68
2	160.62	178.47

MALE & FEMALE  
EYS SEALING  
HUBS

1/2"	66.68	74.09
3/4	71.71	79.68
1	85.26	94.73
1 1/4	103.27	114.74
1 1/2	141.12	156.80
2	172.14	191.27

Size

A


B

FEMALE  
EYD DRAIN SEAL  
HUBS


1/2"	\$149.59	\$166.21
3/4	151.69	168.54
1	173.64	192.93
1 1/4	190.50	211.67
1 1/2	241.26	268.07
2	262.97	292.19

MALE & FEMALE  
EYD DRAIN SEAL  
HUBS

1/2"	149.59	166.21
3/4	157.35	174.83
1	179.45	199.39
1 1/4	198.08	220.09
1 1/2	249.61	277.34
2	274.48	304.98

FEMALE  
EYS SEALING  
HUBS

1/2"	124.71	138.57
3/4	125.80	139.78
1	143.10	159.00
1 1/4	162.94	181.04
1 1/2	241.26	268.07
2	309.31	343.68

MALE & FEMALE  
EYS SEALING  
HUBS

1/2"	139.50	155.00
3/4	180.62	200.69
1	182.90	203.22
1 1/2	265.14	294.60
2	348.91	387.68


**PVC COATED JUNCTION BODIES - EXPLOSION-PROOF**  
*With Cover*

Size	Cov. Dia.	A	B	Size	Cov. Dia.	A	B
<b>TYPE:</b> ½"	2"	\$116.83	\$129.81	<b>TYPE:</b> ½"	2"	\$133.45	\$148.28
<b>GUAB</b> ½"	3	139.69	155.21	<b>GUAT</b> ½"	3	149.68	166.31
¾"	2	122.11	135.68	¾"	2	138.80	154.22
¾"	3	143.10	159.00	¾"	3	156.11	173.46
1"	3	144.13	160.14	1"	3	159.93	177.70
1¼"	3 <sup>5</sup> / <sub>8</sub>	225.86	250.96	1¼"	3 <sup>5</sup> / <sub>8</sub>	241.94	268.82
1½"	5	411.68	457.42	1½"	5	449.97	499.97
2"	5	433.72	481.91	2"	5	494.89	549.88
<b>TYPE:</b> ½"	2"	116.83	129.81	<b>TYPE:</b> ½"	2"	144.37	160.41
<b>GUAC</b> ½"	3	139.69	155.21	<b>GUAW</b> ½"	3	155.12	172.35
¾"	2	122.11	135.68	¾"	2	148.73	165.25
¾"	3	143.09	158.99	¾"	3	166.20	184.67
1"	3	144.13	160.14				
1¼"	3 <sup>5</sup> / <sub>8</sub>	225.86	250.96				
1½"	5	411.68	457.42				
2"	5	433.72	481.91				
<b>TYPE:</b> ½"	2"	116.83	129.81	<b>TYPE:</b> ½"	2"	133.60	148.44
<b>GUAL</b> ½"	3	139.69	155.21	<b>GUAX</b> ½"	3	151.10	167.89
¾"	2	122.11	135.68	¾"	2	144.85	160.94
¾"	3	143.10	159.00	¾"	3	161.85	179.83
1"	3	144.13	160.14	1"	3	175.19	194.65
1¼"	3 <sup>5</sup> / <sub>8</sub>	225.86	250.96	1¼"	3 <sup>5</sup> / <sub>8</sub>	254.14	282.38
1½"	5	411.68	457.42	1½"	5	494.17	549.08
2"	5	433.72	481.91	2"	5	518.61	576.23


**TYPES:**

**THHN**  
and  
**THW**

**SOLID WIRE**



**STRANDED WIRE**




Size	A	B
<b>TYPE THHN</b> <i>PVC/Nylon Insulated Wire</i>		
<b>SOLID</b>		
14	\$.10	\$.17
12	.16	.26
10	.25	.41
<b>STRANDED</b>		
14	.12	.20
12	.18	.30
10	.29	.48
8	.47	.79
6	.80	1.34
4	1.27	2.11
3	1.59	2.65
2	2.01	3.35
1	2.54	4.23
1/0	3.16	5.27
2/0	3.97	6.62
3/0	4.99	8.31
4/0	6.35	10.58
250KCM	7.41	12.35
300KCM	8.85	14.75
350KCM	10.82	18.03
400KCM	12.46	20.77
500KCM	14.66	24.43

Size	A	B
<b>TYPE THW</b> <i>Thermoplastic Insulated Wire</i>		
<b>SOLID</b>		
14	\$.10	\$.17
12	.16	.26
10	.25	.41
<b>STRANDED</b>		
14	.12	.20
12	.18	.30
10	.28	.47
8	.44	.73
6	.76	1.26
4	1.19	1.99
3	1.48	2.47
2	1.85	3.09
1	2.44	4.06
1/0	2.96	4.93
2/0	3.70	6.17
3/0	4.65	7.75
4/0	5.84	9.73
250KCM	7.04	11.73
300KCM	8.39	13.99
350KCM	9.83	16.38
400KCM	11.19	18.65
500KCM	13.75	22.92


**TYPES:**

**XHHW**  
and  
**USE - RHH - RHW**

**SOLID WIRE**



**STRANDED WIRE**



Size	A	B
<b>TYPE XHHW</b> <i>(XLP) Cross Linked Polyethylene Cable</i>		
<b>SOLID</b>		
14	.17	.28
12	.26	.44
10	.41	.68
<b>STRANDED</b>		
14	.15	.25
12	.22	.37
10	.34	.56
8	.52	.87
6	.86	1.43
4	1.33	2.21
3	1.64	2.74
2	2.06	3.44
1	2.83	4.71
1/0	3.52	5.86
2/0	4.39	7.32
3/0	5.50	9.17
4/0	6.90	11.50
250KCM	7.60	12.67
300KCM	8.57	14.28
350KCM	10.01	16.68
400KCM	11.41	19.02
500KCM	13.95	23.25

Size	A	B
<b>TYPE USE - RHH - RHW</b> <i>(XLP) Cross Linked Polyethylene Wire (Direct Burial)</i>		
<b>SOLID</b>		
14	.10	.16
12	.25	.42
10	.37	.61
<b>STRANDED</b>		
14	.25	.41
12	.29	.49
10	.44	.74
8	.61	1.01
6	1.01	1.69
4	1.54	2.56
3	1.76	2.94
2	2.50	4.16
1	3.37	5.62
1/0	4.21	7.02
2/0	5.29	8.82
3/0	6.61	11.02
4/0	7.55	12.59
250KCM	7.95	13.25
300KCM	10.29	17.15
350KCM	11.66	19.43
400KCM	13.30	22.17
500KCM	15.59	25.99



**TYPES:**

**UF-NMCB**

- *Two Conductor*
- *Three Conductor*



Size	A	B
------	---	---

**TYPE UF-NMMB**  
*Copper Non-Metallic Cable*

**2 CONDUCTOR**



**WITH GROUND**

14	\$.37	\$.62
12	.56	.94
10	.88	1.46
8	1.39	2.31
6	2.17	3.61


**WITHOUT GROUND**

14	.51	.85
12	.77	1.28
10	1.21	2.02
8	---	---
6	---	---

Size	A	B
------	---	---

**TYPE UF-NMMB**  
*Copper Non-Metallic Cable*

**3 CONDUCTOR**



**WITH GROUND**

14	\$.52	\$.86
12	.78	1.30
10	1.22	2.04
8	2.02	3.36
6	3.25	5.42

**WITHOUT GROUND**

14	.65	1.08
12	.97	1.61
10	1.50	2.50
8	2.83	4.72
6	4.81	8.01

**TYPES:**

**NM-B90°**

- *Two Conductor*
- *Three Conductor*



Size	A	B
------	---	---

**TYPE NM-B 90°**  
*Copper Non-Metallic Sheathed Cable*

**2 CONDUCTOR**



**WITH GROUND**

14	.33	.55
12	.50	.83
10	.77	1.28
8	1.19	1.99
6	1.87	3.12
4	---	---
2	---	---

**WITHOUT GROUND**

14	.25	.42
12	.38	.64
10	.60	1.00
8	---	---
6	---	---

Size	A	B
------	---	---

**TYPE NM-B 90°**  
*Copper Non-Metallic Sheathed Cable*

**3 CONDUCTOR**





**WITH GROUND**


14	.47	.79
12	.69	1.15
10	1.09	1.82
8	1.74	2.90
6	2.83	4.71
4	6.42	10.70
2	9.61	16.02

**WITHOUT GROUND**

14	.37	.62
12	.56	.94
10	.89	1.49
8	1.45	2.42
6	2.50	4.16
4	2.20	3.67
2	2.90	4.83

Size	A	B
 <b>TWO SCREW CLAMP CONNECTORS</b> <i>Malleable</i>		
1/2"	\$1.28	\$1.51
3/4	2.44	2.87
1	3.27	3.85
1 1/4	5.84	6.87
1 1/2	13.29	15.63
2	16.36	19.25

Size	A	B
 <b>PLASTIC CONNECTORS</b>		
1/2" KO for 10-2 to 14-2	.43	.51
1/2" KO for 10-3 to 14-2	.56	.66
3/4" KO for 8/3 to 6/3	1.11	1.31


Size	A	B
 <b>HIT LOCK CONNECTORS</b>		
1/2" Hit Lock	.31	.36
3/4" Hit Lock	.55	.65
1/2" Double Hit Lock	.54	.63
Twist It Bushing for Metal Studs	1.13	1.33

Size	A	B
<b>UF CONNECTORS</b>		
1/2" 14-2 to 12-2	3.72	4.38
3/4" 14-3 to 10-2	3.08	3.62

Size	A	B
<b>CABLE CONNECTORS</b>		
3/8" (1) 14/2 to 10/2, 14/3 to 10/3	.13	.15
(2) 14/2 to 10/2, 14/3		
3/4" (1) 6/2, 6/3, 8/2, 8/3, 10/2, 10/3	.26	.30
(2) 10/2, 10/3, 12/2, 14/2		


Size	A	B
<b>BLACK BUTTON PLASTIC PUSH-IN CONNECTORS</b>		
3/8"	.09	.11
3/4"	.20	.24
1	.18	.21

Size	A	B
<b>CABLE SUPPORT</b>		
Holds (6) 14/2, (5) 12/2 or (4) 10/2	.69	.81


Size	A	B
 <b>TWO SCREW CLAMP CONNECTORS</b> <i>Die Cast</i>		
3/8"	\$.54	\$.64
1/2	2.62	3.09
3/4	1.39	1.63
1	2.47	2.90
1 1/4	3.62	4.26
1 1/2	5.83	6.86
2	7.02	8.26

Size	A	B
 <b>DUPLEX CONNECTOR</b>		
3/8" For 14-2 to 12-3	3.72	4.38

Size	A	B
 <b>TWO PIECE CLAMP TYPE CONNECTORS</b> <i>Steel</i>		
1/2"	1.56	1.84
3/4	2.18	2.56
1 1/4	4.89	5.75
1 1/2	5.36	6.30

Size	A	B
 <b>CRIMP TYPE SNAP-IN CONNECTOR</b>		
1/2" KO 14-2 to 10-2 + 14-3 to 10-3	.36	.42

Size	A	B
<b>STUD PLATES</b> <i>Steel</i>		
1 1/2x2 9/16"	.72	.85
1 1/2x2 3/4" 16 Gauge	.17	.20
1 3/4x5" 16 Gauge	.42	.49
1 3/4x5" 20 Gauge	.29	.34
3x5" 16 Gauge	.70	.82

Size	A	B
 <b>STAPLES</b> <i>(Priced Per Box)</i>		
(1000 Per Box)		
1"	10.96	12.89
1 1/4	17.79	20.93
1 5/16	33.02	38.85
1 1/2	39.53	46.51
1 7/16 (Insulated)	15.33	18.03

Size & No. of Conds.                      A                      B

**(SE-U)**

**SERVICE ENTRANCE CABLE**

*Copper - Plastic Jacket*



(Type SE, Style U)

(Per Foot)

10-3	\$ .94	\$ 1.57
8-3	1.51	2.51
6-2 & 8-1	2.23	3.71
6-3	2.53	4.22
4-2 & 6-1	3.49	5.82
4-3	3.94	6.57
3-2 & 5-1	4.61	7.68
3-3	4.96	8.26
2-2 & 4-1	5.42	9.03
2-3	6.15	10.25
1-3	7.94	13.24
1/0-2 & 2-1	---	---
1/0-3	9.83	16.38
2/0-2 & 1-1	---	---
2/0-3	12.31	20.51
3/0-3	15.43	25.71
4/0-2 & 2/0-1	---	---
4/0-3	17.30	28.84

Size & No. of Conds.                      A                      B

**(SE-U)**

**SERVICE ENTRANCE CABLE**


*Aluminum - Plastic Jacket*



(Type SE, Style U)


(Per Foot)

10-3	\$ ---	\$ ---
8-3	2.47	3.53
6-2 & 8-1	---	---
6-3	2.49	3.56
4-2 & 6-1	2.92	4.17
4-3	3.19	4.56
3-2 & 5-1	---	---
3-3	---	---
2-2 & 4-1	3.91	5.58
2-3	4.26	6.09
1-3	5.78	8.25
1/0-2 & 2-1	6.18	8.83
1/0-3	6.49	9.27
2/0-2 & 1-1	6.97	9.96
2/0-3	7.46	10.65
3/0-3	10.12	14.46
4/0-2 & 2/0-1	9.61	13.73
4/0-3	10.43	14.90



**ENTRANCE CAPS**

2x1-1/4" S/SCR	15.22	17.90
2-1/2x1-1/4" S/S	17.99	21.17
2-1/2x2" S/SCR	21.75	25.59



**SILL PLATES**  
*With Duxseal*

8/3 to 2/3	2.83	3.34
4/3 to 2/3	1.91	2.25
3W 1/0-2/0	6.29	7.40
3W 3/0-4/0	6.59	7.75

Size A B

**SERVICE ENTRANCE  
ROUND CABLE**



(Type SE, Style SER)

**Copper**

(Three Conductor with Ground)

(Per Foot)

6-4	\$4.39	\$7.31
4-3 & 6-1	6.09	10.15
3-3 & 5-1	7.96	13.26
2-3 & 4-1	9.54	15.90
1-3 & 3-1	11.99	19.99
1/0-3 & 2-1	15.05	25.09
2/0-3 & 1-1	18.84	31.40
3/0-3 & 1/0-1	16.98	28.30
4/0-3 & 2/0-1	29.69	49.48

**Aluminum**

(Three Conductor with Ground)

(Per Foot)


8-3 & 8-1	3.00	4.28
6-3 & 6-1	3.40	4.85
4-3 & 6-1	3.80	5.43
2-3 & 4-1	5.61	8.01
1-3 & 3-1	7.29	10.41
1/0-3 & 2-1	8.48	12.12
2/0-3 & 1-1	9.99	14.27
3/0-3 & 1/0-1	12.33	17.61
4/0-3 & 2/0-1	14.25	20.35

**CABLE  
STRAPS**



**One-Hole**

4-3 to 2-3	.56	.66
3W 1/0-2/0	1.57	1.85
3W 3/0-4/0	1.91	2.24
10/3 to 6/3 Steel	.41	.48




**Two-Hole**

3W 2/0	.26	.31
3W 2/3	.51	.60
3W 4/0	.64	.75

Size A B

**WATERTIGHT  
CONNECTORS**




**For Oval Cable**

3/4"	\$5.70	\$6.71
1	9.22	10.85
1 1/4	15.41	18.13
1 1/2	21.61	25.42
2	41.42	48.73

**Two Screw Type**


1 1/4"	7.51	8.84
1 1/2	9.57	11.26
2	9.66	11.37

**NON-WATERTIGHT  
TWO SCREW CLAMP  
CONNECTORS**



**Malleable**

3/4"	2.13	2.51
1	2.82	3.32
1 1/4	5.70	6.71
1 1/2	13.03	15.33
2	16.02	18.85



**Die Cast**

3/4"	1.41	1.66
1	3.26	3.84
1 1/4	4.10	4.82
1 1/2	5.83	6.86
2	7.49	8.81

# ARMORED CABLE, BARE ARMORED WIRE & FITTINGS 67

Size	A	B	Size	A	B
------	---	---	------	---	---

## ARMORED CABLE



### 2 Conductor

	<i>(Per Foot)</i>	
14 Solid	\$1.40	\$2.00
12 Solid	1.41	2.01
10 Solid	2.67	3.82
8 Strands	5.22	7.46
6 Strands	7.11	10.16

### 3 Conductor

14 Solid	2.23	3.19
12 Solid	2.37	3.39
10 Solid	3.71	5.30
8 Strands	6.79	9.70
6 Strands	8.26	11.80
4 Strands	14.20	20.28
3 Strands	16.95	24.22
2 Strands	20.20	28.85

### 4 Conductor

14 Solid	3.10	4.43
12 Solid	3.24	4.63
10 Solid	5.75	8.21
Strands	9.70	13.85
6 Strands	10.95	15.64
4 Strands	19.33	27.62
3 Strands	21.34	30.49
2 Strands	27.03	38.62



## END FITTING


$\frac{3}{8}$ "	3.66	4.31
-----------------	------	------

## BARE ARMORED GROUND WIRE




*(Per Foot)*

8 Solid	\$2.07	\$2.95
6 Strands	2.47	3.53
4 Strands	3.96	5.66



## ANTI-SHORT BUSHINGS


14/3 - 12/2	0	5/16"	.44	.52
14-4 - 4/1	1	3/8	.48	.56
12/4 - 2/1	2	-	.59	.69
10/4 - 1/1	3	1/2	.89	1.05
8/4 - 4/2	4	3/4	1.18	1.39
-	5	1	2.98	3.51
-	6	1 1/4	4.28	5.03
-	7	1 1/2	4.86	5.72
-	8	2 - 2 1/2	5.96	7.01



## 45° ANGLE CLAMP CONNECTORS


*Malleable*


$\frac{3}{8}$ "	9.10	10.70
$\frac{1}{2}$	14.62	17.20
$\frac{3}{4}$	25.37	29.85





## STAPLES

<i>(1000 Per Box)</i>	<i>(Priced Per Box)</i>	
1"	10.96	12.89
1 1/4	17.79	20.93
1 5/16	33.02	38.85
1 1/2	39.53	46.51
1 7/16 (Insulated)	15.33	18.03


Size	A	B
 <p><b>TWO SCREW CLAMP CONNECTORS</b> <i>Die Cast</i></p>		
1/2"	\$5.83	\$6.86

Size	A	B
 <p><b>TWO SCREW CLAMP CONNECTORS</b> <i>Malleable</i></p>		
3/8"	\$2.98	\$3.50
1/2	6.02	7.08
3/4	10.47	12.32

Size	A	B
 <p><b>90° ANGLE CLAMP CONNECTORS</b> <i>Die Cast</i></p>		
3/8"	3.39	3.99
1/2	4.64	5.46
3/4	12.43	14.62

Size	A	B
 <p><b>90° ANGLE CLAMP CONNECTORS</b> <i>Malleable</i></p>		
3/8"	4.53	5.33
1/2	8.25	9.70
3/4	15.61	18.37

Size	A	B
 <p><b>STRAIGHT SQUEEZE CONNECTORS</b> <i>Die Cast</i></p>		
3/8"	3.28	3.86
1/2	4.33	5.09
3/4	6.35	7.47


Size	A	B
 <p><b>STRAIGHT SQUEEZE CONNECTORS</b> <i>Malleable</i></p>		
3/8"	2.83	3.33
3/8 (Oversized)	4.49	5.28
1/2	4.58	5.39
3/4	4.79	5.64

Size	A	B
 <p><b>SET SCREW CONNECTORS</b> <i>Die Cast</i></p>		
3/8"	1.21	1.42

Size	A	B
 <p><b>SET SCREW CONNECTORS</b> <i>Malleable</i></p>		
3/8"	4.90	5.77


Size	A	B	Size	A	B
------	---	---	------	---	---

• MC METAL CLAD CABLE WITH GREEN GROUND WIRE •




STEEL CLAD CABLE

	<i>(Per Foot)</i>	
<b>2 Conductor</b>		
14	\$1.42	\$2.03
12	1.44	2.05
10	3.02	4.31
8	5.80	8.28
6	8.58	12.25
<b>3 Conductor</b>		
14	2.21	3.15
12	2.44	3.48
10	4.21	6.02
8	8.15	11.64
6	11.78	16.83
<b>4 Conductor</b>		
14	3.06	4.37
12	3.28	4.69
10	6.59	9.42
8	11.02	15.74
6	16.54	23.63




ALUMINUM CLAD CABLE

	<i>(Per Foot)</i>	
<b>2 Conductor</b>		
14	\$1.42	\$2.03
12	1.44	2.05
10	3.02	4.31
8	5.22	7.46
6	7.11	10.16
<b>3 Conductor</b>		
14	2.21	3.15
12	2.44	3.48
10	4.21	6.02
8	6.79	9.70
6	9.84	14.05
<b>4 Conductor</b>		
14	3.06	4.37
12	3.28	4.69
10	6.59	9.41
8	9.70	13.85
6	13.03	18.62




CONNECTORS

	<i>Grip Type</i>		<i>Strain Relief Type</i>	
3/8"	3.04	3.58	-	-
1/2	5.56	6.54	64.14	75.46
3/4	7.45	8.77	81.43	95.80
1	13.36	15.72	119.82	140.96
1 1/4	25.99	30.58	177.06	208.30
1 1/2	37.92	44.61	242.17	284.90
2	50.98	59.98	306.80	360.94
2 1/2	91.81	108.01	417.27	490.90
3	128.19	150.81	599.10	704.82
3 1/2	521.07	613.02	756.21	889.66
4	604.57	711.26	968.30	1139.18




CONNECTORS  
For Hazardous Locations

3/4"	239.97	282.32
1	298.44	351.10
1 1/4	471.04	554.16
1 1/2	648.91	763.42
2	825.06	970.66
2 1/2	1234.95	1452.88
3	1766.03	2077.68
3 1/2	1919.47	2258.20
4	2828.48	3327.62



GROUND FITTINGS

1 1/4"	148.68	174.92
1 1/2	148.68	174.92
2	49.42	58.14
2 1/2	49.42	58.14
3	49.42	58.14
3 1/2	49.42	58.14
4	49.42	58.14



NEOPRENE BOOTS

1/2"	96.63	113.68
3/4	120.16	141.36
1	140.18	164.92
1 1/4	170.95	201.12
1 1/2	205.33	241.56
2	246.64	290.16
2 1/2	289.82	340.96
3	337.79	397.40
3 1/2	340.63	400.74
4	402.80	473.88

Size	Per Foot	
	A	B

**MACHINE TOOL & APPLIANCE WIRE**

TYPE MTW 90°C - AWM 105°C  
600V

**Stranded**

18 Gauge	16/30 Strands	\$.13	\$.18
16 Gauge	26/30 Strands	.18	.25
14 Gauge	41/30 Strands	.26	.37
12 Gauge	65/30 Strands	.35	.50
10 Gauge	104/30 Strands	.55	.78
8 Gauge	19/.0295 Strands	.97	1.39
6 Gauge	19/.0372 Strands	1.57	2.24
4 Gauge	19/.0469 Strands	2.68	3.83
2 Gauge	19/.0591 Strands	3.75	5.36

**FIXTURE & APPLIANCE WIRE - 600V****TFFN-90° - 600V****Stranded PVC/Nylon Insulation**

18	16/30 Stranded	.11	.16
16	26/30 Stranded	.15	.21
18	Stranded	.10	.16
16	Stranded	.13	.21

**Solid PVC/Nylon Insulation**

18	Solid	.11	.15
16	Solid	.15	.21

Size	Per Foot	
	A	B

**BARE COPPER WIRE**

Soft Drawn

**SOLID**

14	\$.10	\$.17
12	.16	.26
10	.25	.42
8	.40	.67
6	.71	1.18
4	1.22	2.04
2	1.95	3.25

**STRANDED**

8	.42	.70
6	.73	1.22
4	1.23	2.05
2	1.84	3.06
1	2.51	4.18
1/0	2.77	4.62
2/0	3.49	5.81
3/0	4.39	7.32
4/0	5.54	9.23
250KMM	6.56	10.93
300KMM	7.41	12.35
350KMM	9.16	15.26
400KMM	10.81	18.02
500KMM	13.07	21.78



Cat No.	Strands	AWG	Per Foot	
			A	B

**LAMP CORDS**

***TYPE SPT***

Parallel - RIP -Type PVC - 60 Degree C

Standard Colors - 250' Roll

60000-66-08	Black	18/2	\$.37	\$.41
60000-66-07	Brown	18/2	.37	.41
60000-66-01	White	18/2	.37	.41
60126-66-08	Black	16/2	.55	.61
60126-66-07	Brown	16/2	.55	.61
60126-66-01	White	16/2	.55	.61

Designer Colors - 250' Roll

60000-66-18	Clear	18/2	.37	.41
60000-66-19	Gold	18/2	.37	.41
60000-66-21	Silver	18/2	.37	.41

**FLEXIBLE POWER CORDS**

Neoprene or Thermoplastic

***TYPE SJEW***

90 Degree C - 300V - Black

23285-04-08	16/30	18/2	.70	.77
23286-04-08	26/30	16/2	.72	.80
23287-04-08	41/30	14/2	1.04	1.16
23285-04-08	16/30	18/3	.75	.84
23386-04-08	26/30	16/3	.89	.99
23387-04-08	41/30	14/3	1.33	1.48
23485-04-08	16/30	18/4	.98	1.08
23486-04-08	26/30	16/4	1.15	1.28
23487-04-08	41/30	14/4	1.82	2.02

***TYPE SJEOOW***

105 Degree C - 300V - Black

23225-04-08	16/30	18/2	.70	.77
23226-04-08	26/30	16/2	.72	.80
23227-04-08	41/30	14/2	1.04	1.16
23325-04-08	16/30	18/3	.70	.77
23326-04-08	26/30	16/3	.72	.80
23327-04-08	41/30	14/3	1.04	1.16
23425-04-08	16/30	18/4	.98	1.08
23426-04-08	26/30	16/4	1.15	1.28
23427-04-08	41/30	14/4	1.82	2.02

105 Degree C - 300V - Yellow

23345-04-02	16/30	18/3	.94	1.05
23346-04-02	26/30	16/3	1.04	1.15
26647-04-02	41/30	14/3	1.52	1.69
23447-04-02	26/30	16/4	2.23	2.47

Cat No.	Strands	AWG	Per Foot	
			A	B

**FLEXIBLE POWER CORDS**

Neoprene or Thermoplastic

***TYPE SEOOW - Submersible***

105 Degree C - 600V - Black

22225-04-08	16/30	18/2	\$.79	\$.87
22226-04-08	26/30	16/2	.85	.95
22227-06-08	41/30	14/2	1.35	1.50
22228-06-08	65/30	12/2	1.83	2.03
22229-06-08	104/30	10/2	2.47	2.74
22325-04-08	16/30	18/3	.94	1.04
22326-04-08	26/30	16/3	.99	1.10
22327-04-08	41/30	14/3	1.56	1.73
22328-04-08	65/30	12/3	2.24	2.49
22329-04-08	104/30	10/3	3.02	3.36
22425-04-08	16/30	18/4	1.10	1.22
22426-04-08	26/30	16/4	1.33	1.48
22427-04-08	41/30	14/4	1.97	2.19
22428-04-08	65/30	12/4	2.64	2.93
22429-04-08	104/30	10/4	3.54	3.93
30505-04-08	16/30	18/5	2.00	2.22
30506-04-08	26/30	16/5	2.22	2.46
30507-04-08	41/30	14/5	3.47	3.86
30508-04-08	65/30	12/5	4.14	4.60
30509-04-08	104/30	10/5	5.18	5.75

105 Degree C - 300V - Yellow

22246-04-02	26/30	16/2	1.07	1.19
22345-04-02	16/30	18/3	.94	1.05
23346-04-02	26/30	16/3	1.04	1.15
23347-06-02	41/30	14/3	2.12	2.36
22348-05-02	65/30	12/3	2.70	3.00
22349-06-02	104/30	10/3	3.55	3.95
22446-04-02	26/30	16/4	1.66	1.85
22447-06-02	41/30	14/4	2.46	2.73
22448-06-02	65/30	12/4	3.17	3.52
22449-05-02	104/30	10/4	4.22	4.69

***TYPE SJTOW***

Royal - PVC Jacket - 60 Degree C - 300V - Yellow

20135-04-02	16/30	18/3	.75	.84
20136-04-02	26/30	16/3	.89	.99
20137-04-02	41/30	14/3	1.33	1.48
20138-04-02	65/30	12/3	1.89	2.10
20146-04-02	26/30	16/4	1.15	1.28
20147-04-02	41/30	14/4	1.82	2.02

Cat No.	Strands	AWG	Per Foot	
			A	B

## FLEXIBLE POWER CORDS

**TYPESTOW****Royal - PVC Jacket - 60 Degree C - 600V - Yellow**

20046-04-02	26/30	16/4	\$1.33	\$1.48
20047-04-02	41/30	14/4	1.97	2.19
20048-64-02	65/30	12/4	2.64	2.93
20049-04-02	104/30	10/4	3.48	3.87

**TYPESJOOW****Royal - CPE Jacket - 90 Degree C - 300V - Black**

823225-04-08	16/30	18/2	.70	.77
823226-04-08	26/30	16/2	.72	.80
823227-04-08	41/30	14/2	1.04	1.16
823228-04-08	65/30	12/2	1.62	1.80
823229-04-08	104/30	10/2	2.42	2.69
823325-04-08	16/30	18/3	.75	.84
823326-04-08	26/30	16/3	.89	.99
823327-04-08	41/30	14/3	1.33	1.48
823328-04-08	65/30	12/3	1.89	2.10
823329-04-08	104/30	10/3	2.88	3.20
823425-04-08	16/30	18/4	.98	1.08
823426-04-08	26/30	16/4	1.15	1.28
823427-04-08	41/30	14/4	1.82	2.02
823428-04-08	65/30	12/4	2.47	2.74
823429-06-08	104/30	10/4	3.40	3.78

**TYPE SOOW****Royal - CPE Jacket - 90 Degree C - 600V - Black**

822225-04-08	16/30	18/2	.79	.87
822226-04-08	26/30	16/2	.85	.95
822227-06-08	41/30	14/2	1.35	1.50
822325-04-08	16/30	18/3	.94	1.04
822326-04-08	26/30	16/3	.99	1.10
822327-06-08	41/30	14/3	1.51	1.68
822328-05-08	65/30	12/3	2.24	2.49
822329-06-08	104/30	10/3	3.02	3.36
822425-04-08	16/30	18/4	1.10	1.22
822426-04-08	26/30	16/4	1.33	1.48
822427-06-08	41/30	14/4	1.97	2.19
822428-06-08	65/30	12/4	2.64	2.93
822429-06-08	104/30	10/4	3.54	3.93
830505-06-08	16/30	18/5	2.00	2.22
83050604-08	26/30	18/5	2.22	2.46
830507-06-08	41/30	14/5	3.47	3.86
830508-04-08	65/30	12/5	4.14	4.60
830509-04-08	104/30	10/5	5.18	5.75

Cat No.	Strands	AWG	Per Foot	
			A	B

## FLEXIBLE POWER CORDS

**TYPE SEOOW/SEOW - Control Cable****Neoprene - 105 Degree C - 600V - Black**

30505-04-08	16/30	18/5	\$2.00	\$2.22
30506-04-08	26/30	16/5	2.22	2.46
30507-04-08	41/30	14/5	3.47	3.86
30508-04-08	65/30	12/5	4.14	4.60
30509-04-08	104/30	10/5	5.18	5.75
30605-04-08	16/30	18/6	2.07	2.29
30606-04-08	26/30	16/6	2.38	2.65
30607-04-08	41/30	14/6	3.73	4.15
30608-04-08	65/30	12/6	4.95	5.50
30706-04-08	26/30	16/7	3.63	4.03
30707-04-08	41/30	14/7	5.62	6.24
30709-06-08	104/30	10/7	8.73	9.70
30805-04-08	16/30	18/8	3.41	3.79
30806-04-08	26/30	16/8	3.90	4.33
30807-04-08	41/30	14/8	5.83	6.48
30808-04-08	65/30	12/8	7.90	8.78
31005-04-08	16/30	18/10	4.53	5.03
31006-04-08	26/30	16/10	4.96	5.51
31007-06-08	41/30	14/10	7.81	8.68
31205-04-08	16/30	18/12	5.87	6.52
31206-04-08	26/30	16/12	5.97	6.63
31405-04-08	16/30	18/14	6.52	7.25
31406-04-08	26/30	16/14	6.39	7.10
31605-04-08	16/30	18/16	7.39	8.21
31606-04-08	26/30	16/16	8.10	9.00

Cat No.	Strands	AWG	Per Foot	
			A	B

**PORTABLE POWER CABLES**

**TYPE K - EPR Welding Cable**

**Rubber - 90 Degree C - 600V - Black**

10412-04-08	412/30	4	\$3.22	\$3.57
10413-04-08	647/30	2	4.95	5.50
10414-04-08	817/30	1	6.41	7.12
10415-04-08	1027/30	1/0	7.88	8.76
10416-04-08	1089/30	2/0	.97	1.08
10417-05-08	1650/30	3/0	1.24	1.37
10418-04-08	2065/30	4/0	1.47	1.64

**BUS DROP CABLE**

**PVC Jacket**

**60 Degree C - 600V - Grd. Gray**


50307-04-09	19Str - 3x18	14/3	2.05	2.28
50308-04-09	19Str - 3x18	12/3	2.79	3.10
50309-04-09	19Str - 3x18	10/3	4.61	5.13
50310-04-09	19Str - 3x18	8/3	6.55	7.28
50311-04-09	19Str - 3x18	6/3	.86	.96
50312-04-09	19Str - 3x18	4/3	1.33	1.48
50313-04-09	19Str - 3x18	2/3	2.00	2.22

Size	Range	Per Foot	
		A	B

**STRAIN RELIEF CONNECTORS**


**For Portable Cord  
(Liquid Tight)**

**MALLEABLE or STEEL**




1/2"	.125 - .250	\$8.58	\$9.54
1/2	.250 - .375	8.58	9.54
1/2	.375 - .425	8.58	9.54
1/2	.425 - .500	8.58	9.54
1/2	.375 - .500	8.58	9.54
1/2	.500 - .600	8.58	9.54
3/4	.250 - .375	10.45	11.62
3/4	.375 - .500	10.45	11.62
3/4	.500 - .600	10.45	11.62
3/4	.600 - .700	10.45	11.62
3/4	.650 - .700	10.45	11.62
3/4	.700 - .850	10.45	11.62
1	.600 - .700	16.43	18.26
1	.700 - .850	16.43	18.26
1	.850 - 1.000	16.43	18.26
1-1/4	.850 - 1.000	45.31	50.35
1-1/4	1.00 - 1.250	45.31	50.35
1-1/4	1.250 - 1.400	45.31	50.35
1-1/2	1.000 - 1.250	58.60	65.12
1-1/2	1.250 - 1.400	58.60	65.12

**PLASTIC**



1/2"	.062 - .125	9.30	10.33
1/2	.187 - .250	9.30	10.33
1/2	.250 - .375	9.30	10.33
1/2	.375 - .500	9.30	10.33
1/2	.500 - .625	9.30	10.33
3/4	.375 - .500	10.04	11.15
3/4	.500 - .625	10.04	11.15
3/4	.625 - .750	10.04	11.15
3/4	.750 - .875	10.04	11.15
1	.625 - .750	11.78	13.09
1	.875 - 1.000	11.78	13.09
1	1.000 - 1.250	11.78	13.09



## BUILDING WIRE AND CABLE

(Price is Based Per Foot)	TYPETHHN <i>PVC/Nylon Insulated Wire</i>		TYPEXHHW <i>(XLP) Cross Linked Polyethylene Cable</i>		TYPEUSE-RHW-RHH <i>(XLP) Cross Linked Polyethylene Wire (Direct Burial)</i>		
	Size	A	B	A	B	A	B
<b>STRANDED</b>							
6	\$.88	\$1.04	\$.88	\$1.04	\$1.08	\$1.27	
4	1.10	1.29	1.10	1.29	1.24	1.46	
2	1.49	1.75	1.49	1.75	1.72	2.02	
1	2.18	2.56	2.18	2.56	2.38	2.80	
1/0	2.61	3.07	2.61	3.07	2.94	3.46	
2/0	3.09	3.63	3.09	3.63	3.44	4.05	
3/0	3.83	4.50	3.83	4.50	4.05	4.77	
4/0	4.26	5.01	4.26	5.01	4.51	5.31	
250KCM	5.19	6.11	5.19	6.11	6.12	7.20	
300KCM	7.17	8.44	7.17	8.44	7.96	9.36	
350KCM	7.29	8.58	7.29	8.58	8.13	9.57	
400KCM	8.53	10.03	8.53	10.03	9.93	11.68	
500KCM	9.40	11.06	9.40	11.06	10.92	12.85	
600KCM	11.92	14.02	11.92	14.02	14.01	16.48	
700KCM	13.75	16.18	13.75	16.18	---	---	
750KCM	13.90	16.35	13.90	16.35	16.10	18.94	
1000KCM	20.69	24.34	20.69	24.34	16.30	19.18	



## WEATHERPROOF WIRE

(Price is Based Per Foot)	Code Word	Size	Strands	Polyethylene		Cross Linked Polyethylene	
				A	B	A	B
<b>SOLID</b>							
Pear (-XLP)*		4	1	.24	.28	.31	.36
<b>STRANDED</b>							
Quince (-XLP)*		1/0	7	.65	.77	.68	.80
Orange (-XLP)*		2/0	7	.80	.94	1.03	1.21
Olive (-XLP)*		4/0	7	1.12	1.32	1.22	1.44
<b>ACSR</b>							
Butternut (-XLP)*		4	6/1	.35	.41	.40	.47
Pignut (-XLP)*		2	6/1	.52	.61	.65	.77
Almond (-XLP)*		1/0	6/1	.77	.91	.91	1.07
Pecan (-XLP)*		2/0	6/1	1.05	1.23	1.06	1.25
Buckeye (-XLP)*		4/0	6/1	1.35	1.59	1.54	1.81

\* - Add "XLP" to code word for Cross-Linked Polyethylene.


**BARE ALUMINUM WIRE - ACSR**  
*(Aluminum Conductor Steel Reinforced)*



Code Word	Size	Strands Alum./Steel	Per Pound	
			A	B
Swan	4	6/1	\$4.10	\$4.82
Swanate	4	7/1	3.85	4.53
Sparrow	2	6/1	3.16	3.72
Sparate	2	7/1	3.56	4.19
Raven	1/0	6/1	3.00	3.53
Quail	2/0	6/1	2.96	3.48
Pigeon	3/0	6/1	2.92	3.44
Penguin	4/0	6/1	2.91	3.42
Partridge	266,800	26/7	3.61	4.25
Merlin	336,400	18/1	3.44	4.05
Linnet	336,400	26/7	3.34	3.93

**ALUMINUM TYPE - URD**  
**UNDERGROUND DISTRIBUTION CABLE**

*(Triplex-Black Neutral with Yellow Stripe - 600V)*











Code Word	Phase Conductors		Neutral Size	Per Foot	
	Size	Strands		A	B
Vassar	4	7	4	1.09	1.28
Stephens	2	7	4	1.36	1.60
Ramapo	2	7	2	1.39	1.64
Brenau	1/0	19	2	1.72	2.02
Bergen	1/0	19	1/0	1.89	2.22
Converse	2/0	19	1	2.03	2.39
Hunter	2/0	19	2/0	2.18	2.57
Hollins	3/0	19	1/0	2.41	2.84
Rockland	3/0	19	3/0	2.80	3.29
Sweetbriar	4/0	19	2/0	2.80	3.29
Monmouth	4/0	19	4/0	3.09	3.64
Pratt	250	37	3/0	4.16	4.89
Wesleyan	350	37	4/0	5.22	6.14



## SERVICE DROP CABLE

(Price is Based Per Foot)		<b>Conductor</b>		<b>Neutral</b>	<b>Polyethylene</b>		<b>Cross-Linked Polyethylene</b>	
Code Word		Size	Strands	Size	A	B	A	B
<b>DUPLEX</b>	<b>All Aluminum Neutral</b> Collie (-XLP)*	6	7	6	\$.40	\$.47	\$.44	\$.52
	<b>ACSR Neutral</b> Setter (-XLP)*	6	1	6	.44	.52	.49	.58
	Shepherd (-XLP)*	6	7	6	.44	.52	.49	.58
	Terrier (-XLP)*	4	7	4	.54	.64	.60	.70
	Chow (-XLP)*	2	7	2	.72	.85	.77	.91
	<b>All Aluminum Neutral</b> Oyster (-XLP)*	4	7	4	.77	.91	.87	1.02
Clam (-XLP)*	2	7	2	1.04	1.22	1.12	1.32	
Murex (-XLP)*	1/0	7	1/0	1.52	1.79	1.59	1.87	
Nassa (-XLP)*	2/0	7	2/0	1.91	2.25	1.98	2.33	
Portunus (-XLP)*	4/0	19	4/0	2.83	3.33	2.93	3.45	
<b>TRIPLEX</b>	<b>ACSR Neutral</b> Paludina (-XLP)*	6	1	6	.51	.60	.60	.71
	Voluta (-XLP)*	6	7	6	.65	.76	.73	.86
	Periwinkle (-XLP)*	4	7	4	.82	.96	.91	1.07
	Conch (-XLP)*	2	7	2	1.09	1.28	1.18	1.39
	Neritina (-XLP)*	1/0	7	1/0	1.61	1.89	1.67	1.96
	Genia (-XLP)*	1/0	19	1/0	1.65	1.94	1.71	2.01
	Runcina (-XLP)*	2/0	7	2/0	2.01	2.36	2.07	2.44
	Zuzara (-XLP)*	4/0	19	4/0	2.93	3.45	3.04	3.58
	<b>ACSR Reduced Neutral</b> Strombus (-XLP)*	4	7	6	.78	.92	.86	1.01
	Cockle (-XLP)*	2	7	4	1.01	1.19	1.10	1.29
	Janthina (-XLP)*	1/0	7	2	1.47	1.73	1.53	1.80
	Clio (-XLP)*	2/0	19	1	1.82	2.14	1.92	2.26
	Cerapus (-XLP)*	4/0	19	1/0	2.64	3.11	2.75	3.24
	<b>QUADRUPLEX</b>	<b>All Aluminum Neutral</b> Pinto (-XLP)*	4	7	4	1.09	1.28	1.18
Mustang (-XLP)*		2	7	2	1.46	1.72	1.56	1.83
Criollo (-XLP)*		1/0	19	1/0	2.27	2.67	2.37	2.79
Percheron (-XLP)*		2/0	19	2/0	2.72	3.20	2.90	3.41
Oldenberg (-XLP)*		4/0	19	4/0	4.05	4.77	4.22	4.97
<b>ACSR Neutral</b> Chola (-XLP)*		6	7	6	.94	1.10	1.05	1.23
Hackney (-XLP)*		4	7	4	1.16	1.37	1.32	1.55
Palomino (-XLP)*		2	7	2	1.51	1.78	1.67	1.97
Costena (-XLP)*		1/0	19	1/0	2.44	2.87	2.57	3.02
Grullo (-XLP)*		2/0	19	2/0	2.86	3.36	2.96	3.48
Suffolk (-XLP)*		3/0	19	3/0	3.40	4.00	3.58	4.21
Appaloosa (-XLP)*		4/0	19	4/0	4.13	4.86	4.31	5.07

\* - Add "XLP" to code word for Cross-Linked Polyethylene.










Description	A	B	
<b>STEEL OCTAGON OUTLET BOXES</b>			
	<b>Octagon Boxes</b>		
<b>1/2" KO</b>			
3 1/2" box 1 1/2" Deep	\$3.62	\$10.33	
4" box 1 1/2" Deep	2.57	7.34	
4" box 2 1/8" Deep	4.45	12.72	
<b>3/4" KO</b>			
4" box 1 1/2" Deep	3.00	8.56	
4" box 2 1/8" Deep	5.32	15.20	
<b>1/2 &amp; 3/4" KO</b>			
4" box 1 1/2" Deep	2.95	8.44	
4" box 2 1/8" Deep	4.42	12.64	
<b>1" KO</b>			
4" box 2 1/8" Deep	15.63	44.67	
<b>Extension Rings</b>			
	<b>1/2" KO</b>		
4" and 1 1/2" Deep	4.27	12.19	
<b>1/2 &amp; 3/4" KO</b>			
4" and 1 1/2" Deep	4.88	13.95	
<b>With Flat Bracket</b>			
	4" box 1 1/2" Deep	5.18	14.79
<b>With Romex Clamps</b>			
	4" box 1 1/2" Deep	4.03	11.51
4" box 2 1/8" Deep	6.39	18.26	
<b>With Romex Clamps &amp; Ears</b>			
	4" box 1 1/2" Deep	7.57	21.62
<b>With Romex Clamps &amp; "J" Bracket</b>			
	4" box 1 1/2" Deep	6.09	17.39
4" box 2 1/8" Deep	7.83	22.38	
<b>With Romex Clamps &amp; Flat Bracket</b>			
	4" box 1 1/2" Deep	6.25	17.87
4" box 2 1/8" Deep	8.67	24.77	
<b>With BX Clamps &amp; Flat Bracket</b>			
	4" box 1 1/2" Deep	7.85	22.44

### ADJUSTABLE BAR HANGERS









(14 1/4 to 22 1/2")

With Stud	5.09	14.54
With Clip	3.76	10.75

Description	A	B	
<b>4" CONCRETE RINGS</b> (1/2 & 3/4" KO's)			
	2" Deep	\$6.57	\$18.78
	2 1/2" Deep	7.65	21.87
	3" Deep	7.93	22.66
	3 1/2" Deep	8.13	23.22
	4" Deep	12.12	34.64
	5" Deep	16.39	46.82
	6" Deep	19.05	54.42
<b>CONCRETE RING BACK PLATES</b>			
	Flat	2.03	5.79
	Flat with 3/8" Stud	3.99	11.39
<b>"PANCAKE" BOXES</b>			
<b>Ceiling Box w/Romex Clamps</b> (Without Stud)			
	3 1/2" Diam. 1/2" Deep	8.62	24.62
	3 1/2" Diam. 3/4" Deep	5.87	16.76
	4" Diam. 1/2" Deep	3.23	9.24
<b>ROUND BOX COVERS</b>			
<b>Flat Blank</b>			
	3 1/2" Diameter	3.63	10.36
	4" Diameter	1.07	3.07
<b>Flat 1/2" KO</b>			
	3 1/2" Diameter	2.16	6.17
	4" Diameter	1.09	3.12
<b>Single Receptacle</b>			
	4" Diameter	1.85	5.28
<b>Duplex Receptacle</b>			
	4" Diameter	3.60	10.28
<b>PLASTER &amp; SWITCH RINGS</b>			
<b>4" Plaster Rings</b>			
	1/2" Deep	2.83	8.08
	5/8" Deep	3.06	8.73
	1" Deep	7.87	22.49
<b>4" Switch Rings</b>			
	5/8" Deep	10.19	29.10

Description	A	B
<b>SQUARE BOXES</b>		
<b>Square Boxes</b>		
 <b>1/2" KO</b>		
4" box 1 1/2" Deep	\$3.10	\$8.87
4 11/16 box 1 1/2" Deep	9.80	27.99
<b>3/4" KO</b>		
4" box 1 1/2" Deep	3.52	10.06
4" box 2 1/8" Deep	5.32	15.20
4 11/16 box 1 1/2" Deep	9.80	27.99
<b>1/2 &amp; 3/4" KO</b>		
4" box 1 1/2" Deep	3.15	8.99
4" box 2 1/8" Deep	5.02	14.33
4 11/16 box 1 1/2" Deep	6.82	19.49
4 11/16 box 2 1/8" Deep	6.05	17.28
<b>1" KO</b>		
4" box 2 1/8" Deep	5.75	16.42
4 11/16 box 2 1/8" Deep	7.21	20.60
<b>3/4 &amp; 1" KO</b>		
4 11/16 box 2 1/8" Deep	7.27	20.77
<b>1-1/4" KO</b>		
4 11/16 box 2 1/8" Deep	10.09	28.82
<b>Extension Rings</b>		
 <b>1/2" KO</b>		
4" box 1 1/2" Deep	4.31	12.32
<b>1/2 &amp; 3/4" KO</b>		
4" box 1 1/2" Deep	4.25	12.15
4 11/16 box 1 1/2" Deep	9.70	27.71
4 11/16 box 2 1/8" Deep	10.63	30.38
<b>With Flat Bracket</b>		
 <b>1/2" KO</b>		
4" box 1 1/2" Deep	3.98	11.36
<b>1/2 &amp; 3/4" KO</b>		
4" box 2 1/8" Deep	6.58	18.79
<b>With Long Bracket 1/2" KO</b>		
 4" box 1 1/2" Deep	7.08	20.23
<b>With Romex Clamps</b>		
 4" box 1 1/2" Deep	6.87	19.63
4" box 2 1/8" Deep	10.89	31.10

Description	A	B
<b>SQUARE BOXES</b>		
 <b>With Romex Clamps &amp; Flat Bracket</b>		
4" box 1 1/2" Deep	\$6.98	\$19.93
4" box 2 1/8" Deep	10.91	31.18
 <b>With BX Clamps &amp; Flat Bracket</b>		
4" box 1 1/2" Deep	7.49	21.39
 <b>With Romex Clamps &amp; Long Bracket</b>		
4" box 1 1/2" Deep	8.37	23.92
<b>STEEL SQUARE FLAT BOX COVERS</b>		
 <b>Blank</b>		
4"	1.17	3.34
4 11/16"	2.18	6.24
 <b>With 1/2" Knockout</b>		
4"	1.38	3.95
4 11/16"	3.80	10.85
<b>PLASTER RINGS</b>		
 <b>Plaster Ring</b>		
<b>1/2" Deep</b>		
4"	2.37	6.76
4 11/16"	6.46	18.46
<b>5/8" Deep</b>		
4"	2.51	7.16
4 11/16"	6.64	18.97
<b>3/4" Deep</b>		
4"	3.48	9.93
4 11/16"	8.61	24.60
<b>1" Deep</b>		
4"	5.11	14.60
4 11/16"	34.74	99.27
<b>1-1/4" Deep</b>		
4"	7.65	21.87



Size	A	B	A	B
<b>SWITCH RINGS</b>				
	<b>One Gang</b>		<b>Two Gang</b>	
<b>Flat</b>				
4"	\$2.55	\$7.28	\$3.36	\$9.59
<b>Raised</b>				
<b>1/4" Deep</b>				
4"	2.12	6.07	---	---
<b>1/2" Deep</b>				
4"	1.74	4.97	2.49	7.12
4 <sup>11</sup> / <sub>16</sub> "	---	---	6.78	19.37
<b>5/8" Deep</b>				
4"	2.01	5.74	2.68	7.66
4 <sup>11</sup> / <sub>16</sub> "	5.55	15.85	7.13	20.36
<b>3/4" Deep</b>				
4"	2.20	6.28	2.92	8.34
4 <sup>11</sup> / <sub>16</sub> "	5.50	15.72	7.15	20.43
<b>1" Deep</b>				
4"	2.82	8.05	4.94	14.10
4 <sup>11</sup> / <sub>16</sub> "	6.51	18.59	---	---
<b>1-1/4" Deep</b>				
4"	3.00	8.57	5.35	15.29
4 <sup>11</sup> / <sub>16</sub> "	6.36	18.18	---	---
<b>FOR TILE WALLS</b>				
<b>1/2" Deep</b>				
4"	5.67	16.19	2.49	7.12
<b>3/4" Deep</b>				
4"	2.20	6.28	2.92	8.34
4 <sup>11</sup> / <sub>16</sub> "	5.50	15.72	7.15	20.43
<b>1" Deep</b>				
4"	2.82	8.05	4.94	14.11
4 <sup>11</sup> / <sub>16</sub> "	6.51	18.59	9.51	27.16
<b>1-1/4" Deep</b>				
4"	3.00	8.57	5.35	15.29
4 <sup>11</sup> / <sub>16</sub> "	6.36	18.18	10.00	28.58
<b>1-1/2" Deep</b>				
4"	4.97	14.21	7.92	22.63
4 <sup>11</sup> / <sub>16</sub> "	13.03	37.24	15.71	44.89
<b>2" Deep</b>				
4"	5.31	15.17	8.44	24.12
4 <sup>11</sup> / <sub>16</sub> "	14.58	41.67	---	---

(One Gang)









(Two Gang)



(Two Gang)




Size	A	B
<b>STEEL SQUARE BOX COVERS (1/2" Raised)</b>		
<b>Surface Blank</b>		
4"	\$6.35	\$18.14
4 <sup>11</sup> / <sub>16</sub> "	9.07	25.92
<b>1 Toggle Switch</b>		
4"	2.46	7.04
4 <sup>11</sup> / <sub>16</sub> "	11.06	31.59
<b>1 Single Receptacle</b>		
4"	3.16	9.03
4 <sup>11</sup> / <sub>16</sub> "	18.32	52.33
<b>1 Duplex Receptacle</b>		
4"	1.68	4.79
4 <sup>11</sup> / <sub>16</sub> "	10.69	30.55
<b>2 Toggle Switches</b>		
4"	2.61	7.47
4 <sup>11</sup> / <sub>16</sub> "	22.48	64.24
<b>2 Single Receptacles</b>		
4"	9.90	28.28
4 <sup>11</sup> / <sub>16</sub> "	11.95	34.15
<b>1 Toggle Switch &amp; 1 Sgl Receptacle</b>		
4"	6.43	18.38
4 <sup>11</sup> / <sub>16</sub> "	10.99	31.40
<b>1 Toggle Switch &amp; 1 Duplex Receptacle</b>		
4"	3.23	9.22
4 <sup>11</sup> / <sub>16</sub> "	14.63	41.81
<b>2 Duplex Receptacles</b>		
4"	2.38	6.79
4 <sup>11</sup> / <sub>16</sub> "	9.35	26.70
<b>1 4 Wire Twistlock Receptacle</b>		
4"	4.22	12.06
4 <sup>11</sup> / <sub>16</sub> "	10.60	30.29
<b>1 30-60A 3 or 4 Wire Receptacle</b>		
4"	5.05	14.43
4 <sup>11</sup> / <sub>16</sub> "	12.29	35.11
<b>1 GFCI Receptacle</b>		
4"	8.55	24.43
4 <sup>11</sup> / <sub>16</sub> "	19.17	54.78
<b>1 Switch &amp; 1 GFCI Receptacle</b>		
4"	9.75	27.87
4 <sup>11</sup> / <sub>16</sub> "	23.66	67.61
<b>1 Dplx Rcpt &amp; 1 GFCI Rcpt</b>		
4"	9.76	27.88
4 <sup>11</sup> / <sub>16</sub> "	23.08	65.95
<b>2 GFCI Receptacle</b>		
4"	9.76	27.88
4 <sup>11</sup> / <sub>16</sub> "	23.66	67.61



Size	A	B	Size	A	B
------	---	---	------	---	---

• HANDY BOXES & COVERS •




### HANDY BOXES

#### Standard Size 4 x 2 1/8"

1 1/2" Deep	1/2" KO	\$2.84	\$8.12
1 7/8" Deep	1/2" KO	2.70	7.72
1 7/8" Deep	3/4" KO	4.18	11.93
2 1/8" Deep	1/2" KO	3.31	9.45
2 1/8" Deep	3/4" KO	5.01	14.31

#### Large Size 4 1/8 x 2 1/2"


1 5/8" Deep	1/2" KO	12.77	36.48
2 3/16" Deep	1/2" KO	6.06	17.31



### EXTENSION RING

#### Standard Size 4 x 2 1/8"


1 7/8" Deep	1/2" KO	3.40	9.71
-------------	---------	------	------



### BOX WITH ANGLE BRACKET

#### Standard Size 4 x 2 1/8"

2 1/8" Deep	1/2" KO	7.06	20.16
-------------	---------	------	-------



### BOX WITH FLAT BRACKET

#### Standard Size 4 x 2 1/8"

1 7/8" Deep	1/2" KO	5.03	14.36
2 1/8" Deep	1/2" KO	5.61	16.02

### HANDY BOX COVERS



#### Blank

Standard	\$1.01	\$2.88
Large	4.41	12.60



#### Toggle Switch

Standard	1.01	2.89
Large	5.88	16.80



#### Duplex Receptacle

Standard	.97	2.77
Large	5.88	16.80



#### Single Receptacle

Standard	1.60	4.57
Large	5.88	16.80








#### 4W Twist-Lock





Standard	2.29	6.54
----------	------	------












#### 1/2" KO






Standard	1.59	4.53
Large	5.88	16.80





Size	A	B		
<b>• CONDUIT •</b>				
<b>SWITCH BOXES</b>				
<b>Without Mounting Ears</b>				
 2" Deep	1/2" KO	\$10.82	\$30.92	
2 1/2" Deep	1/2" KO	4.45	12.72	
2 3/4" Deep	1/2" KO	5.59	15.98	
3 1/2" Deep	1/2" KO	5.70	16.28	
<b>With Mounting Ears</b>				
 2" Deep	1/2" KO	4.62	13.21	
2 1/2" Deep	1/2" KO	3.41	9.73	
2 3/4" Deep	1/2" KO	4.11	11.74	
2 3/4" Deep	3/4" KO	5.28	15.09	
3 1/2" Deep	1/2" KO	4.75	13.56	
3 1/2" Deep	3/4" KO	6.42	18.33	
<b>With Long Bracket</b>				
 2 1/2" Deep	1/2" KO	6.63	18.93	
<b>With Flat Bracket</b>				
 2 1/2" Deep	1/2" KO	4.65	13.28	
2 3/4" Deep	1/2" KO	6.42	18.35	
<b>Old Work Box with Mounting Ears</b>				
 2 1/2" Deep	1/2" KO	5.45	15.57	



<b>• ROMEX •</b>				
<b>SQUARE CORNER SWITCH BOXES</b>				
<b>GANGABLE TYPE</b>				
<b>With Clamps</b>				
 2 1/2" Deep		3.60	10.29	
<b>With Clamps &amp; Ears</b>				
 2" Deep		5.70	16.28	
2 1/2" Deep		4.13	11.79	
2 3/4" Deep		5.47	15.64	
3 1/2" Deep		10.09	28.84	
<b>With Long Bracket &amp; Clamps</b>				
 2 1/2" Deep		6.81	19.45	
<b>With Flat Bracket &amp; Clamps</b>				
 2 1/2" Deep		6.26	17.89	
2 3/4" Deep		5.85	16.70	
3 1/2" Deep		7.68	21.95	

Size	A	B		
<b>• ROMEX •</b>				
<b>BEVELED CORNER SWITCH BOXES</b>				
<b>GANGABLE TYPE</b>				
<b>With Clamps</b>				
 2 1/4" Deep		\$5.30	\$15.13	
<b>With Clamps &amp; Ears</b>				
 2 1/4" Deep		5.92	16.91	
<b>With Long Bracket &amp; Clamps</b>				
 2 1/4" Deep		15.62	44.64	
<b>With Flat Bracket &amp; Clamps</b>				
 2 1/4" Deep		16.30	46.57	
<b>NON-GANGABLE TYPE</b>				
<b>With Nails &amp; Clamps</b>				
 2 1/4" Deep		19.15	54.70	


<b>LARGE CAPACITY BOXES</b>				
<b>NON-GANGABLE TYPE</b>				
<b>With Clamps</b>				
 12.5 & 13.3 Cubic Inches		4.86	13.88	
<b>With Nails &amp; Clamps</b>				
 18 Cubic Inches		11.42	32.63	
20 Cubic Inches		12.62	36.05	
<b>With Flat Bracket &amp; Clamps</b>				
 18 Cubic Inches		12.73	36.37	
<b>Old Work Box with Clamps</b>				
 2 1/2" Deep 1/2" KO		6.37	18.21	

Size	A	B
<b>• BX •</b>		
<b>SWITCH BOXES</b>		
	<b>With Clamps</b>	
2 1/2" Deep	\$9.98	\$28.51
	<b>With Clamps &amp; Ears</b>	
2" Deep	6.08	17.36
2 1/2" Deep	4.96	14.18
	<b>With Clamp &amp; Long Bracket</b>	
2 1/2" Deep	6.98	19.94
	<b>With Clamps &amp; Flat Bracket</b>	
2 1/2" Deep	6.06	17.30
	<b>Tiger Grip Box With Clamps</b>	
2 1/2" Deep	6.49	18.55


<b>• SOLID GANG •</b>		
<b>BOXES</b>		
	<b>No Switch Ring Necessary</b>	
2 Gang	14.12	40.34
	<b>With Flat Bracket</b>	
2 Gang 1/2" KO	15.12	43.21
2 Gang 3/4" KO	16.95	48.42
	<b>1 5/8 - 1 3/4 - 1 13/16 or 2" Deep</b>	
2 Gang	23.58	67.38
3 Gang	26.59	75.96
4 Gang	35.58	101.66
5 Gang	55.49	158.54
6 Gang	101.30	289.42
	<b>Thru Boxes</b>	
5 x 4 x 2 1/8"	26.80	76.58
<b>Masonry Boxes</b>		
<b>2 1/2" Deep</b>		
1 Gang	7.87	22.49
2 Gang	14.75	42.15
3 Gang	17.69	50.53
4 Gang	20.46	58.47
<b>3 1/2" Deep</b>		
1 Gang	7.90	22.56
2 Gang	11.91	34.03
3 Gang	17.09	48.82
4 Gang	21.70	62.00


Size	A	B
<b>• SOLID GANG •</b>		
<b>COVERS</b>		
<b>3/4" Deep Covers</b>		
	2 Gang	\$11.67 \$33.33
	3 Gang	12.06 34.46
	4 Gang	16.38 46.79
	5 Gang	23.81 68.04
	6 Gang	40.12 114.64
<b>Flat Blank Covers</b>		
	2 Gang	7.95 22.71
	3 Gang	12.01 34.32
	4 Gang	17.40 49.71
	5 Gang	24.23 69.22
	6 Gang	41.29 117.98

<b>• ACCESSORIES •</b>		
<b>LOW VOLTAGE PARTITION</b>		
	Shallow or Deep	2.58 7.38

<b>SWITCH BOX EXTENSION</b>		
	With Screws	3.82 10.92

<b>SWITCH BOX SUPPORT</b>		
<i>(Per Set)</i>		
	Madison Holdit Type	1.09 3.10

<b>GROUNDING CLIP</b>		
	For 14-10 Romex	.34 .96

<b>GROUNDING SCREWS</b>		
	Without Pigtail	.16 .46
	With Pigtail	1.02 2.92

Cat. No.

A B


Cat. No.

A B

• NON-METALLIC SWITCH & ROUND CEILING BOXES •

NON-METALLIC SWITCH BOXES

*With Nails*



<b>One Gang - No Clamps</b>				
B118A	2 <sup>7</sup> / <sub>8</sub> "	3 <sup>3</sup> / <sub>4</sub> x2 <sup>1</sup> / <sub>2</sub> "	\$ .76	\$ .84
B120AUPC	3 <sup>1</sup> / <sub>4</sub> "	3 <sup>7</sup> / <sub>8</sub> x2 <sup>1</sup> / <sub>2</sub> "	.96	1.06

<b>Two Gang - 8 Clamps</b>				
B232AUPC	3"	3x2 <sup>1</sup> / <sub>4</sub> "	2.47	2.74

*With Flat Bracket*


A58381D	3"	3x2 <sup>1</sup> / <sub>4</sub> "	4.56	5.07
---------	----	-----------------------------------	------	------

*With 3/8" Offset Bracket  
(Wall Board or Steel Stud Mounting)*

<b>One Gang - No Clamps</b>				
B118BUPC	2 <sup>15</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>4</sub> x2 <sup>1</sup> / <sub>4</sub> "	3.46	3.84

<b>Two Gang - 8 Clamps</b>				
B232BUPC	3"	3 <sup>3</sup> / <sub>4</sub> x4"	6.83	7.59

*Four Gang Switch Boxes with  
Nails & Bar Hanger (12 clamps)*



B455AUPC	2 <sup>1</sup> / <sub>2</sub> "	7 <sup>3</sup> / <sub>5</sub> x3 <sup>7</sup> / <sub>10</sub> "	9.45	10.50
----------	---------------------------------	---	------	-------


**Old Work Box With Two (2)  
Zip-Mount Retainers**

<b>1 Gang - 4 Clamps</b>				
B114RUPC	2 <sup>3</sup> / <sub>4</sub> "	4 <sup>3</sup> / <sub>8</sub> x2 <sup>1</sup> / <sub>4</sub> "	3.48	3.87

<b>2 Gang</b>				
B225RUPC	2 <sup>3</sup> / <sub>4</sub> "	3 <sup>15</sup> / <sub>16</sub> x3 <sup>1</sup> / <sub>8</sub> "	7.86	8.73

<b>3 Gang</b>				
B355R	3.69"	2.79x5.72"	14.45	16.06

<b>4 Gang</b>				
B468R	3.56"	2.89x7.57"	24.32	27.02



NON-METALLIC ROUND  
CEILING BOXES

*Round Ceiling Boxes with Nails*



<b>3" Diameter - 2<sup>3</sup>/<sub>4</sub>" Depth - 4 Clamps</b>				
B518AUPC	w/o Lugs & Screws	\$2.92	\$3.25	
B518PUPC	w/ Lugs & Screws	4.12	4.58	


<b>4" Diameter - 2<sup>1</sup>/<sub>4</sub>" Depth - 6 Clamps</b>				
B520AUPC	w/o Lugs & Screws	2.84	3.16	
B520PUPC	w/ Lugs & Screws	4.05	4.50	

*With Metal "L" Bracket*



<b>4" Diameter - 2<sup>1</sup>/<sub>4</sub>" Depth - 6 Clamps</b>				
B620LUPC	w/o Lugs & Screws	8.27	9.19	

*With Adjustable Bar Hanger  
4" Diameter - 2<sup>1</sup>/<sub>4</sub>" Depth - 6 Clamps*




<b>1<sup>1</sup>/<sub>4</sub>" - 23<sup>1</sup>/<sub>2</sub>" Adjustable Bar Hanger</b>				
B620HGUPC	w/ Lugs & Screws	6.68	7.42	

<b>1<sup>1</sup>/<sub>4</sub>" - 26<sup>3</sup>/<sub>4</sub>" Adjustable Bar Hanger</b>				
B620K	w/o Lugs & Screws	5.53	6.14	
B620KGUPC	w/ Lugs & Screws	9.03	10.04	

**Round Old Work Box**

(Not suitable for fixture support)



<b>4<sup>1</sup>/<sub>4</sub>" Dia. - 2<sup>3</sup>/<sub>4</sub>" Depth - 4 Clamps with 3 Zip-Mount Retainers</b>				
B618R	w/o Lugs & Screws	5.17	5.75	
B618RPUPC	w/ Lugs & Screws	11.98	13.31	

**Round Old/New Work Box  
w/ Base, Ears & Snap-In Bracket**

BH614R	w/o Lugs & Screws	8.64	9.60	
BH614RP	w/ Lugs & Screws	10.37	11.52	

**4" Round Ceiling Fan Support  
Saddle Box**


7120	4x2 <sup>5</sup> / <sub>8</sub> "	10.88	12.09	
------	-----------------------------------	-------	-------	--

SQUARE BOXES

**4" Square Boxes With Nails**

<b>10 Clamps</b>				
B418AUPC	4x4x1 <sup>5</sup> / <sub>8</sub> " (shallow)	4.76	5.29	
B432AUPC	4x4x2 <sup>5</sup> / <sub>8</sub> " (deep)	6.22	6.91	

<b>With Flat Bracket</b>				
A52151D	4x4x1 <sup>1</sup> / <sub>2</sub> "	3.71	4.12	
A521DE	4x4x1 <sup>1</sup> / <sub>2</sub> "	4.84	5.38	
A5217DE	4x4x2 <sup>3</sup> / <sub>8</sub> "	5.08	5.64	



# 84 ENT (ELECTRICAL NON-METALLIC TUBING) BOXES

Cat. No.	A	B	Cat. No.	A	B
----------	---	---	----------	---	---

## ENT OCTAGON CEILING BOXES

4 Width x 2 1/8" Depth

(Without Lug & Screws - No Clamps)



### Octagon Ceiling Boxes


A615D	(1/2" KO's)	\$4.19	\$4.66
A615E	(3/4" KO's)	5.86	6.51
A615DE	(1/2 & 3/4" KO's)	4.81	5.35



### With "L" Bracket

A615DL	(1/2" KO's)	18.10	20.11
--------	-------------	-------	-------

### With 1 1/4" - 2 3/4" Adjustable Bar Hanger



A615DH	(1/2" KO's)	12.30	13.67
--------	-------------	-------	-------

## ROUND COVERS FOR CEILING BOXES

### Round Blank Covers

E460RCAR	Blank	3.10	3.44
A470D	Blank w/1/2" KO	3.40	3.78

### Round Plaster Rings

A471*	1/2" Deep	5.13	5.70
A472*	5/8" Deep	6.15	6.83

\* Suitable for fixture support.

## ENT QUICK CONNECT OUTLET AND SWITCH BOXES (With Flat Bracket)



### SINGLE GANG


16 Cubic Inches (3x2 1/4x3")

A58381D	1/2" KO's	\$4.56	\$5.07
A58381E	3/4" KO's	6.50	7.22

### TWO GANG

20 Cubic Inches (4x4x1 1/2")

A52151D	1/2" KO's	3.71	4.12
A52151E	3/4" KO's	3.83	4.25
A521DE	1/2 & 3/4" KO's	4.84	5.38



30.3 Cubic Inches (4 x 4 x 2 3/8")


A52171D	1/2" KO's	5.81	6.45
A52171E	3/4" KO's	4.88	5.42

## ENT & NON-METALLIC SQUARE COVERS For Outlet and Switch Boxes

### SINGLE GANG COVERS

#### Raised

A410	1/2" Deep	2.25	2.50
A411	5/8" Deep	3.17	3.53
A412	3/4" Deep	3.82	4.25
A413	1" Deep	3.58	3.98
A414	1 1/4" Deep	4.65	5.16



### TWO GANG COVERS

#### Blank, Flat

A400		2.38	2.64
------	--	------	------



#### Raised


A420	1/2" Deep	3.39	3.77
A421	5/8" Deep	4.75	5.27
A422	3/4" Deep	5.26	5.84



Hub • **HUBS** •  
Size Ends Sides Back A B

## ONE GANG BOXES


4-1/2 x 2-3/4 x 2" Deep



### Three Hubs

With Mounting Lugs


1/2"	1-1	0-0	1	\$8.80	\$10.35
3/4"	1-1	0-0	1	9.67	11.38



### Four Hubs

With Mounting Lugs

1/2"	2-1	0-0	1	10.42	12.26
3/4"	2-1	0-0	1	13.10	15.41




### Five Hubs

1/2"	2-2	0-0	1	13.71	16.13
1/2"	1-1	1-1	1	14.50	17.06
3/4"	2-2	0-0	1	14.80	17.41
3/4"	1-1	1-1	1	17.72	20.85


## TWO GANG BOXES

### Three Hubs



1/2"	1-1	0-0	1	16.83	19.80
3/4"	1-1	0-0	1	20.80	24.48

### Four Hubs




1/2"	2-1	0-0	1	21.39	25.17
3/4"	2-1	0-0	1	22.56	26.54

### Five Hubs



1/2"	2-2	0-0	1	23.56	27.71
1/2"	1-1	1-1	1	24.90	29.30
3/4"	2-2	0-0	1	21.10	24.82
3/4"	1-1	1-1	1	25.93	30.50

### Seven Hubs



1/2"	3-3	0-0	1	27.54	32.40
1/2"	2-2	1-1	1	28.11	33.07
3/4"	3-3	0-0	1	27.83	32.74
3/4"	2-2	1-1	1	32.88	38.68

Hub • **HUBS** •  
Size Ends Sides Back A B

## DEEP BOXES


With Mounting Lugs



### ONE GANG

#### Three Hubs

1/2"	1-1	0-0	1	\$18.16	\$21.37
3/4"	1-1	0-0	1	18.16	21.37
1	1-1	0-0	1	20.22	23.79



### TWO GANG

#### Five Hubs

3/4"	2-2	0-0	1	29.30	34.47
1	2-2	0-0	1	30.99	36.46




### THREE GANG

#### Seven Hubs

3/4"	3-3	0-0	1	56.55	66.53
------	-----	-----	---	-------	-------


## BOX EXTENSION ADAPTERS



### Two Hubs

1 Each End


1/2"	15.96	18.78
3/4"	17.11	20.13



### Three Hubs

1 Each End 1 Side


1/2"	18.18	21.39
------	-------	-------



### Four Hubs





1 Each End 1 Each Side

3/4"	20.06	23.60
------	-------	-------






## EXTENSION RINGS


1 Gang	11.01	12.95
2 Gang	16.23	19.09

Size	A	B
<b>ONE GANG SNAPCOVER PLATES</b>		
	Horizontal for Single Receptacle	\$7.40 \$8.70
	Horizontal for Duplex Receptacle	6.81 8.01
	Vertical for Single Receptacle	6.28 7.39
	Vertical for Duplex Receptacle	7.66 9.01

<b>TWO GANG SNAPCOVER PLATES</b>		
	Vertical for Two Single Receptacles	17.00 20.00
	Vertical for Two Duplex Receptacles	33.35 39.24


<b>BLANK COVERS</b>		
	One Gang Vertical	2.32 2.72
	Two Gang Vertical	4.83 5.69

<b>CLUSTER COVERS</b> <i>Die Cast</i>		
	With One 1/2" Hub	5.06 5.95
	With Three 1/2 Hubs	7.38 8.68


<b>4" ROUND OUTDOOR BOXES</b> With Mounting Lugs		
	<b>Five Hubs</b> (4 Sides 1 Back Hub)	
	1/2"	16.41 19.30

Hub Size	A	B
<b>4" ROUND OUTDOOR BOX COVERS</b>		
	<b>Blank Cover</b> Flat Cover	\$2.23 \$2.63
	<b>Single Hole Cover</b> 1/2" Gray	5.22 6.14
	<b>Three Hole Cover</b> 1/2" Gray	7.33 8.62

<b>WEATHERPROOF HOUSING</b> <b>2" DEEP</b>		
	<b>For Telephone</b> Yoke, Gasket & Cord Grip Connectors 3-1/2" Outlet	24.21 28.49

<b>SWIMMING POOL JUNCTION BOX</b> <b>BOX 2.37" DEEP</b>		
	<b>With Gasket, Plug, Connector &amp; Screws</b> 1" Outlet in Center	66.79 78.57



Size	A	B
<b>WEATHERPROOF SWITCH COVER &amp; DEVICE COMBINATIONS</b>		
		
<b>One Gang</b>		
w/SP 10A-125V Switch	\$8.92	\$10.49
w/SP 20A-120/277V Switch	12.93	15.22
w/DP 20A-125V/10A-250V Switch	17.93	21.09
w/3 Way 10A-125V/5A-250V Switch	12.21	14.36
Horizontal GFCI	9.94	11.69
<b>Two Gang</b>		
w/SP 10A-125V Switches	19.98	23.50
Less Switches	15.32	18.02
w/2 Vertical Duplex Receptacles	20.84	24.52
w/SP 10A-125V Switch & Duplex Receptacle NEMA 5-15R	33.20	39.06
<b>Three Gang</b>		
w/SP 10A-125V Switches	35.86	42.18

### WHILE-IN-USE WEATHERPROOF NON-METALLIC RECEPTACLE COVERS



<b>One Gang - 2 1/4" Deep</b>		
Vertical Receptacle Cover w/ GFCI & Dup. Inserts		
Clear	6.85	8.06
Gray	6.85	8.06
Horizontal Receptacle Cover w/ GFCI & Dup. Ins.		
Clear	6.85	8.06
Gray	6.85	8.06

<b>One Gang - 2 3/4" Deep</b>		
Flexi-Gard Vertical or Horizontal Mount Receptacle Cover w/ Lockable Hasp		
	7.13	8.39



<b>One Gang - 3 1/8" Deep</b>		
Vertical Clear Receptacle Cover w/ GFCI & Dup. Inserts		
	6.85	8.06
Horizontal Clear Receptacle Cover w/ GFCI & Dup. Inserts And Lockable Hasp		
	6.85	8.06
Horizontal Clear w/ GFCI & Dup. Inserts		
	9.33	10.97

Size	A	B
<b>Recessed One Gang</b>		
Vertical Clear w/ GFCI Sgl & Duplex Inserts		
	\$8.22	\$9.68
Vertical Clear w/ GFCI Sgl & Duplex Inserts		
	8.22	9.68
Back Box Only		
	1.85	2.18
Side Flange Only		
	1.79	2.11
Horizontal Finish Kit Only		
	4.97	5.85
Vertical Finish Kit Only		
	5.15	6.06
<b>Two Gang - 2 1/4" Deep</b>		
Clear Receptacle Cover w/ GFCI & Dup. Ins.		
	8.85	10.41
Clear Receptacle Cover w/ Snap-Together Inserts		
	8.85	10.41
<b>Two Gang - 3 1/8" Deep</b>		
Clear Receptacle Cover w/ GFCI & Dup. Ins.		
	11.43	13.45
Clear Receptacle Cover w/ Snap-Together Inserts		
	11.43	13.45
<b>Two Gang - 4 3/4" Deep</b>		
Clear Receptacle Cover w/ GFCI & Dup. Ins. And Lockable Hasp		
	14.15	16.65



### NON-METALLIC WEATHERPROOF INSERTS



<b>For Receptacle Covers</b>		
2G Combo 2-5/32"/2-2132		
For all Two Gang Covers/Cast/Jumbo		
	1.96	2.30
(6) Inserts (2) Each-Duplex, GFCI, Toggle/Rnd 1-3/8 & 1-5/8" Dia.		
Two Gang Flexi Guard	1.96	2.30

### NON-METALLIC RECEPTACLE COVER FLEXI-GUARD OUTLET POST
















Vertical w/ Lock. Hasp	32.44	38.17
------------------------	-------	-------

### METALLIC HEAVY DUTY RECEPTACLE COVER








<b>One Gang - Die Cast</b>		
Vertical w/ Lock. Hasp	9.33	10.97
Horizontal w/ Lock. Hasp	9.33	10.97
Vertical w/ Lock. Hasp	13.38	15.74

Size	A	B	Size	A	B
<b>RECEPTACLE-IN-USE WP COVERS</b>			<b>WEATHERPROOF BOX COVERS</b>		
<b>One Gang - Vertical</b>			<b>Aluminum - Lockable</b>		
	w/4 Plates included for Duplex, GFCI, Toggle & Sgl Round Receptacle	\$31.24 \$36.75	<b>One Gang - 2 1/4" Deep</b> (Accepts Up to 14/3 Cord)		
<b>One Gang - Horizontal</b>				<b>Small Vertical Cover</b>	
	w/4 Plates included for Duplex, GFCI, Toggle & Sgl Round Receptacle	31.24 36.75	Use for Configurations: \$35.15 \$41.35		
<b>Two Gang - Vertical</b>			Duplex, GFCI, Single		
	w/4 Plates included for Duplex & Single Round Receptacle	37.62 44.25	Receptacle up to 1-9/16", Switch		
<b>Two Gang - Vertical Deep</b>			<b>One Gang - 3-1/4" Deep</b> (Accepts Up to 12/3 Cord)		
	w/2 Plates included for Sgl Round Receptacle	69.75 82.06		<b>Medium Vertical Cover</b>	
			Use for Configurations: 25.15 29.59		
			Duplex, GFCI, Single		
			Receptacle up to 1-9/16", Switch		
<b>CAST ALUMINUM COVERS</b>			<b>Medium Horizontal Cover</b>		
<b>Self Closing Device Mounted - With KO's For Box Mounting</b>			Use for Configurations: 32.37 38.09		
<b>One Gang - Horizontal</b>				<b>One Gang - 4 3/4" Deep</b> (Accepts Up to 10/3 Cord)	
	Duplex Receptacle	13.06 15.37	Duplex, GFCI, Single		
	GFCI Receptacle	21.56 25.36	Receptacle up to 1-9/16", Switch		
<b>One Gang - Vertical Padlockable</b>			<b>One Gang - 4 3/4" Deep</b> (Accepts Up to 10/3 Cord)		
	Duplex Receptacle	13.18 15.51	<b>Large Vertical Cover</b>		
	GFCI Receptacle	16.67 19.61	Single Receptacle 39.50 46.48		
20/30A Locking Rcpt. - 1.710" Dia.			up to 2.125"		
3W 30/50A Rcpt. - 2.156" Dia.					
Single Receptacle					
<b>Two Gang - Vertical Padlockable</b>			<b>Two Gang - 4 1/4" Deep</b> (Accepts Up to 10/3 Cord)		
	(2) Duplex Receptacles	25.98 30.56		<b>Regular Cover</b>	
	(2) Single Receptacles	26.49 31.17	Use for Configurations: 66.99 78.81		
<b>Two Gang - Vertical Combo. Padlockable</b>			(2) Duplex		
(1) Duplex & 1 GFCI			(1) Single up to 1-3/8" & (1) GFCI		
(1) Sgl 1.406" Dia. & (1) GFCI			(1) Duplex & (1) GFCI		
(1) Toggle & (1) Duplex			(1) Toggle & (1) Duplex		
(1) Toggle & (1) GFCI			(2) GFCI		
			(1) Toggle & (1) GFCI		
			(2) Single up to 1-3/8"		
			(1) Toggle & Single up to 1-3/8"		
			(1) Single up to 1-3/8" & (1) Duplex		

Cat. No.	Description	A	B
----------	-------------	---	---

**• 880 & 800 SERIES •**

<b>880 SERIES - FULLY ADJUSTABLE FLOOR BOXES</b>				
	<b>Steel - 4<sup>11</sup>/<sub>16</sub>" Square</b>			
	885B	2 <sup>1</sup> / <sub>2</sub> " Deep - 1/2 & 3/4" KO'S	\$31.48	\$37.04
	886B	3 <sup>1</sup> / <sub>8</sub> " Deep - 1/2, 3/4 & 1" KO'S	40.59	47.75
	<b>Cast Iron - 4<sup>11</sup>/<sub>16</sub>" Square</b>			
	887B	3 <sup>1</sup> / <sub>8</sub> " Deep - 1 <sup>1</sup> / <sub>2</sub> & 1 <sup>7</sup> / <sub>8</sub> " KO'S	54.71	64.36
	889B	3 <sup>11</sup> / <sub>16</sub> " Deep - 1 & 1 <sup>1</sup> / <sub>4</sub> " KO'S	56.23	66.15
<b>CARPET BRASS COVER PLATES - For 880 Series Boxes</b> <i>(Furnished with gasket and 3 brass screws)</i>				
	896CK1/2	2 <sup>5</sup> / <sub>8</sub> x 1 <sup>1</sup> / <sub>2</sub> " Combination Cover Plates	40.43	47.57
	896CK3/4	2 <sup>5</sup> / <sub>8</sub> x 3/4" Combination Cover Plates	40.43	47.57
	896CK1	2 <sup>5</sup> / <sub>8</sub> x 1" Combination Cover Plates	40.43	47.57
	896CK	2 <sup>5</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>4</sub> " Combination Cover Plates	40.43	47.57
	895	Cover Plate w/ Duplex Flip for Carpet	50.47	59.38
	895T	Cover Plate w/ Duplex Flip for Tile	41.49	48.81

<b>800 SERIES - SEMI-ADJUSTABLE FLOOR BOXES</b>				
	<b>Steel - Less Conversion Kit</b>			
	800LCK	2 <sup>1</sup> / <sub>8</sub> " Deep - 1/2 & 3/4" KO'S	52.39	61.64
	<b>Cast Iron - Less Conversion Kit</b>			
	800CI-LCK	2 <sup>9</sup> / <sub>16</sub> " Deep - 3/4 & 1" Taps	64.10	75.41
	<b>CONVERSION KITS - For 800 Series Boxes</b>			
	825CK	2 <sup>5</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>4</sub> " Combination Cover Plates	17.60	20.71
	825CK1/2	2 <sup>5</sup> / <sub>8</sub> x 1 <sup>1</sup> / <sub>2</sub> " Combination Cover Plates	22.43	26.39
	825CK3/4	2 <sup>5</sup> / <sub>8</sub> x 3/4" Combination Cover Plates	22.43	26.39
	825CK1	2 <sup>5</sup> / <sub>8</sub> x 1" Combination Cover Plates	22.43	26.39
	825CP	Brass Carpet Plate Assembly	38.24	44.99
	<b>COMPONENT PARTS - For 800 Series Boxes</b>			
	825A	2 <sup>1</sup> / <sub>4</sub> " Brass Abandon Plug	9.08	10.68
	825A-1/2	1 <sup>1</sup> / <sub>2</sub> " Brass Abandon Plug	9.38	11.03
	825A-3/4	3/4" Brass Abandon Plug	9.38	11.03
	825A-1	1" Brass Abandon Plug	9.38	11.03
	825SFCK	Conversion Kit - 505 to 800 Series	19.24	22.64
<b>RECEPTACLE - w/ Steel Disc 5-20R NEMA Configuration</b>				
	825R15	20A, 125V, 3-Wire Ground	11.57	13.62

Cat. No.	Description	A	B
----------	-------------	---	---

• **DEVICE PLATES FOR 525 SERIES SERVICE FITTINGS** •  
*(For use with 800 Series Boxes\*, UFD, or Cell)*

500B	Blank Faceplate	\$6.72	\$7.90
500DR	Faceplate for Duplex Receptacle	10.83	12.74
500T	Faceplate w/ Bushed 1" Opening	11.08	13.03
500-GFI	Faceplate Accepts GFI	13.49	15.88
500RT	Faceplate 1Ortronics Opening	13.29	15.63
500ACT	Faceplate w/ 1 6A Mini Adapter Bezel	11.15	13.12
500SP-1/2	1/2" Dia. Opening Device Plate	14.18	16.69
500SP-7/8	7/8" Dia. Opening Device Plate	14.18	16.69
500SP-1 <sup>1</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>8</sub> " Dia. Opening Device Plate	13.93	16.39
500SP-1 <sup>7</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>16</sub> " Dia. Opening Device Plate	14.18	16.69
500SP-1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub> " Dia. Opening Device Plate	14.18	16.69
500SP-1 <sup>9</sup> / <sub>16</sub>	1 <sup>9</sup> / <sub>16</sub> " Dia. Opening Device Plate	14.18	16.69
500SP-1 <sup>5</sup> / <sub>8</sub>	1 <sup>5</sup> / <sub>8</sub> " Dia. Opening Device Plate	14.18	16.69
500SP-2	2" Dia. Opening Device Plate	13.93	16.39
500SP-1.0625	1.0625" Dia. Opening Device Plate	13.06	15.36
500SP-1.39	1.39" Dia. Opening Device Plate	13.30	15.64

\* 825SF-CK required when used with 800 Series Floor Boxes.

Cat. No.	Description	A	B
----------	-------------	---	---

**• 525 SERIES FLOOR BOX SERVICE FITTINGS •**  
*(For use with 800 Series Boxes\*, UFD, or cell)*

**4-PIECE - POWER & COMMUNICATION SERVICE FITTINGS**

525A	1" Opening One Side	\$37.56	\$44.19
525RT	One Ort Opening, Bezels Included	38.55	45.35
525ACT	One 6A Opening, Bezel Included	37.21	43.78
525B	1" Opening Both Sides	38.17	44.90
525C	1 ¼" Opening One Side	41.76	49.13
525F	One Duplex Opening Both Sides	39.06	45.95
525D	1 ¼" Opening Both Sides	40.04	47.11
525G	One Duplex Opening Both Sides	40.28	47.39
525H	One 20A Duplex Receptacle	49.95	58.77
525HB	525 housing & Base Only	26.78	31.50
525I	Two 20A Duplex Receptacle	57.90	68.12
525J	One GFI Opening	37.39	43.98



